

Price:€

# BAMBOO COLLECTION

## VOL.5 TAKE TO 竹



Established in 1919.

**Yokoyama Bamboo Products Co.,Ltd.**

135 Kameya-cho Kamigyo-ku Kyoto-shi 602-8062 JAPAN

☎ +81(0)-75-441-3981 📠 +81(0)-75-432-5876

✉ yokotake@amber.plala.or.jp

🌐 <http://www.yokotake.co.jp/>

FB: <https://www.facebook.com/yokotake.bamboo>

# CONDITIONS

## Request when Ordering/Quotation

When ordering or on the quotation, please tell us the product number, product name, size, number of products, and date of delivery by FAX or e-mail. Some products are not published on our catalogue, so contact us for more necessary products.

## Shipping Charges

Shipping fees are not included in the shown product prices. We will send you the additional prices after your order.

## Prices

We ask for your understanding in advance that from material changes and product improvement, there may be a fluctuation in price without prior notice.

## Colors

There are possibilities that colors may slightly differ from the product and catalogue picture.

## Product Specification

From product improvements, we may change the product specification.

## Special Orders

We will make special ordered products as close to our customers request. (Please submit a design drawing, sample, etc. )

## Sizes

The sizes may slightly differ because of natural materials and handmade processing.

## Reproduction Prohibition

Unauthorized reproduction and manufacturing of our catalogue products are prohibited. All Rights Reserved.




The authorized certification on the left, verifies that Yokoyama Bamboo Products is recognized by the Kyoto prefecture and is entrusted to maintain the traditional technique of Kyoto.



# BAMBOO COLLECTION

VOL.5

TAKE TO 竹



# BAMBOO COLLECTION

Creating the atmosphere  
of “Japanese beauty.”

Bamboo... A collaboration of craftsmanship and the beauty of nature. Yokoyama Bamboo Products has passed down the craftsmanship cultivated in Kyoto to this very day.

**A natural material that has been loved  
from the ancient times.**

A mysterious plant that is neither grass, nor tree  
– Bamboo.

It is said that there are 600 to 1200 types of bamboo in the world, and 150 to 600 types, just in Japan. From a long time ago, Japanese people have used bamboo from construction materials, art works to daily goods, as it was the most familiar and easiest material to process. For tea ceremony, bamboo was used for its tea ceremony room, tea ladle, and tea whisk; which played a big part for its origin, Kyoto. It can be said that bamboo was the key treasure in the completion of Japanese traditional culture.

Moreover, the bamboo's powerful figure as it grows straight up, fresh and green, has widen its usage for religious services as one of the purest plants; and is familiar for the New Year's pine decoration. There is also a famous story that in the 19th century, Thomas Edison carbonized the fiber of Japanese timber bamboo grown in Hachiman, Kyoto, to make filament, which later became the ingredient for inventing the electric light bulb, that brought light to the lives of people in this world.

**The pride to take part in working with bamboos,  
in Kyoto – “The City of Bamboo.”**

Bamboo has its special characteristics: light, strong, long lasting, and easy to process such as “shave” and “bend.” Within many bamboo types and the different ways of processing, it is possible to create bamboos with different expressions, which Japan especially incorporates in the living space. What maintains the bamboo processing is, indeed, the professional skill of the craftsman. After selecting the best bamboo material for every product, the craftsman with full knowledge of the characteristics in bamboo will perform his delicate work of “cut,” “split,” “bend,” “shave,” “weave” to create products from equipment and furniture in the living space to tea ceremony utensils. Kyoto has also been called, “The City of Bamboo,” as the bamboo resources have brought Kyoto to be a prosperous old capital from long ago. It is our pride as bamboo craftsmen to be able to work and spread the beauty of bamboo that we have in Kyoto, our historical city.

With our traditional techniques of “Bamboo Craftsmen of Kyoto,” that has been passed down unbrokenly through generations, Yokoyama Bamboo Products will continue creating the atmosphere of “Japanese beauty.”

# CONTENTS

## BAMBOO SERIES

ii	Conditions
4	Title Page
6	Construction Example
14	Bamboo
23	Flame retardancy and non-combustible processing
24	Bamboo Processing
26	Flat Cut Bamboos
27	Masawari
28	Waterproof Processing
29	Insect Protection Processing
30	Artificial Bamboo
32	Reed
33	Pasted Bamboo Poles
37	Wood Building Materials
40	Yokotake Board (Bamboo)
50	Yokotake Board (Reed)
54	Yokotake Board (Wicker Work)

## BLIND SERIES

80	Title Page
83	Blinds
90	Interior Wooden Blinds
92	Interior Bamboo Blinds
99	Kyoto Blinds
102	Summer "Shoji"
103	Materials for Summer "Shoji"

## GARDEN SERIES

104	Title Page
106	"Sodegaki" Small Bamboo Fences
110	Inuyarai
111	"Takegaki" Bamboo Fences
117	Screen Doors / Cover of Wells / Water Pipes
121	Screens / Object Coverage
122	Benches / Stools / Umbrella Stands
125	Garden Materials

## INTERIOR DECORATION SERIES

128	Title Page
131	Jizai Kagi (Hanging Pan Holder)
133	Lights
136	Flower Vases / Drinking Sets / Utensils

## CONSTRUCTION / PROCESSING

138	Bamboo Displays
140	Title Page
142	Site Fabrication / Bamboo Processing
144	Taga (Bamboo Hoop) / Uchiwatate (Bamboo Fan Stand)

## CONSTRUCTION EXAMPLE

145	Japanese Old Traditional Roofs
148	Construction Example




### Price List (Example)

Product Name	Sarashitake				
Product Explanation	The most popular oil removed dry bamboo, using a special way of manufacture.				
Product Number ①	品番YA	Length /mm	φ/mm	Non Protected U/P(€)	Protected U/P(€)
Product Number ②	001	2,000	9	8	9
Product Number ③	02	2,000	12	8	9

Please tell us the product number when ordering.  
Product Number ① – Product Number ② – Product Number ③  
(Example) YA-001-03





建築用竹シリーズ

# BAMBOO SERIES

Bamboo

Flame retardancy and non-combustible processing

Flat Cut Bamboos

Masawari

Waterproof Processing

Insect Protection Processing

Artificial Bamboo

Reed

Pasted Bamboo Poles

Wood Building Materials

Yokotake Board

Luminous Ceiling

Bamboo Windows







# 建築用竹シリーズ 施工例



■ Bamboo 「Shiratake」 YA-040 p.14



■ Bamboo 「Sabitake」 YA-008 p.16



■ Bamboo 「Kikkotake」 YA-032 p.21










■ Yokotake Board 「Sabi (Flat Cut)」 YH-007 p.40



■ Yokotake Board 「Kawatsuki-yoshi」 YH-084 p.51



■ Yokotake Board 「Sarashi (Flat Cut)」 YH-001 p.40



■ Yokotake Board 「Kurobe Seiichimatsu」 YH-132 p.58



■ Yokotake Board 「Kurotake (Half Cut)」 YH-037 p.45





■ Yokotake Board 「Kurobe Seichimatsu (Black Cedar)」 YH-132 p.58



■ Yokotake Board 「Kuro Yabane」 YH-104 p.54



■ Yokotake Board 「Gamashin」 YH-091 p.52



■ Yokotake Board 「Maruhagi (Half Cut)」 YH-096 p.53



■ Yokotake Board 「Maruhagi」 YH-094 p.55















■ Bamboo Window 「Shitajimado」 Special order YK-003 p.66



■ Bamboo Window 「Shitajimado」 YK-001 p.66



■ Bamboo Window 「Shitajimado」 Special order product YK-005 p.66



■ Bamboo Window 「Ranma」 Special order product YK-078 p.74



■ Bamboo Window 「Marumado」 YK-114 p.78



■ Bamboo Window 「Ranma」 YK-080 p.74





■ Luminous Ceiling 「Special order product」 p.60~p.64



■ Bamboo Window 「Ranma」 YK-078 p.74



■ Bamboo Window 「Kakumado」 YK-077 p.74



■ Pasted Bamboo Pole 「Sabi」 YD-039 p.36



■ Yokotake Board 「Sugi Yabane」 YH-118 p.56



# 銘竹

## Bamboo

There are many types of bamboo with different appearances. The shapes differ from square, flat and round. We will answer the needs of our customers, from construction places to designs.

© Takumi Ota

■ Sarashitake YA-001 p.14



Other than these options, it is possible to make different cuts for the customers needs.



### Sarashitake

The most popular oil removed dry bamboo, using a special way of manufacture.

品番YA 001	Length /mm	φ/mm	Non Protected U/P(€)	Protected U/P(€)
01	2,000	9	8	9
02	2,000	12	8	9
03	2,000	15	8	9
04	2,000	18	8	10
05	2,000	21	9	10
06	2,000	24	9	11
07	2,000	27	11	13
08	2,000	30	12	14
09	3,000	18	13	15
10	3,000	21	13	15
11	3,000	24	14	16
12	3,000	27	15	18
13	3,000	30	18	20
14	3,950	24	19	21
15	3,950	27	20	22
16	3,950	30	23	25
17	3,950	33~36	30	33
18	3,950	39~42	33	39
19	3,950	45~51	44	48
20	3,950	54~63	63	71
21	3,950	66~72	74	83
22	3,950	75~81	100	110
23	3,950	84~90	150	160

Protected



### Shiratake (Madake)

The most representative bamboo blazed with fire to remove oil.

品番YA 040	Length /mm	φ/mm	Protected U/P(€)
01	4,000	24	72
02	4,000	27	72
03	4,000	30	72
04	4,000	33~36	72
05	4,000	39~42	72
06	4,000	45~51	88
07	4,000	54~63	100
08	4,000	66~72	125
09	4,000	75~81	167
10	4,000	84~90	250
11	4,000	93~99	334
12	4,000	102~108	417

Protected



### Shiratake (Moso)

Bamboo blazed with fire to removed oil.

品番YA 002	Length /mm	φ/mm	Protected U/P(€)
01	4,000	75	190
02	4,000	84~90	230
03	4,000	93~105	260
04	4,000	108~120	300
05	4,000	123~135	340
06	4,000	138~150	420

Protected






### Shiratake (Metuki)

Bamboo with branches blazed with fire to removed oil, mostly used for a tea ceremony room.

品番YA 003	Length/mm	φ/mm	Protected U/P(€)
01	2,000	15~18	75
02	2,000	21~24	75
03	2,000	27~24	75
04	3,000	27~30	117
05	3,000	33~36	117
06	3,950	39~42	150
07	3,950	45~51	170
08	3,950	54~60	200

Protected



### Metake

Very thin bamboo mostly used for ceilings and windows of a tea ceremony room.

品番YA 004	Length/mm	φ/mm	Protected U/P(€)
01	2,000	6	7
02	2,000	7.5	7
03	2,000	9	8
04	2,000	10.5	9
05	2,000	12	9
06	2,000	13.5	11
07	2,000	15	11
08	2,000	18	13
09	3,000	10.5	14
10	3,000	12	14
11	3,000	15	16
12	3,000	18	20
13	3,950	15	18
14	3,950	18	21
15	3,950	21	28
16	3,950	24	39

Protected




### Yatake

Usually used for the same purposes as Metake, but stronger and more polished.

品番YA 005	Length/mm	φ/mm	Protected U/P(€)
01	2,000	9	10
02	2,000	12	12
03	2,000	15	14
04	3,000	12	16
05	3,000	15	18
06	3,950	12	22
07	3,950	15	22
08	3,950	18	28

Protected



### Kanchiku

Bamboo which grows during winter, mostly used for windows.

品番YA 006	Length/mm	φ/mm	U/P(€)
01	1,800	6	12
02	1,800	7.5	15
03	1,800	9	16
04	2,100~2,400	9	17
05	2,100~2,400	12	20
06	2,700~3,000	12	22
07	2,700~3,000	15	25
08	3,300~3,600	15	28
09	3,300~3,600	18	36



### Sabitake (Hachiku)

Bamboo with a natural sesame pattern.

品番YA 007	Length/mm	φ/mm	U/P(€)
01	2,000	9~12	67
02	2,000	15~18	67
03	2,000	21~24	60
04	2,000	27~30	60
05	2,000	33~36	60
06	2,000	39~42	64
07	2,000	45~48	74
08	3,000	21~24	72
09	3,000	27~30	72
10	3,000	33~36	72
11	3,000	39~42	82
12	3,000	45~48	95
13	3,950	24~30	91
14	3,950	33~36	91
15	3,950	39~42	91
16	3,950	45~51	120
17	3,950	54~63	120



■ Sabitake (Moso) Polyurethane Filled YA-008 p.16





### Sabitake (Moso)

Thick bamboo with a natural sesame pattern.

品番YA 008	Length/mm	φ/mm	U/P(€)
01	4,000	45~51	120
02	4,000	54~63	120
03	4,000	66~72	140
04	4,000	75~81	140
05	4,000	84~90	150
06	4,000	93~99	160
07	4,000	102~111	180
08	4,000	114~120	230
09	4,000	123~129	270
10	4,000	132~138	320
11	4,000	141~150	390



### Shinsabitake

Bamboo with an artificial sesame pattern.

品番YA 009	Length/mm	φ/mm	U/P(€)
01	2,000	9~12	21
02	2,000	15	21
03	2,000	18	21
04	2,000	21	23
05	2,000	24	24
06	2,000	27	26
07	2,000	30	28
08	3,000	18	30
09	3,000	21	32
10	3,000	24	33
11	4,000	24	45
12	4,000	27	47
13	4,000	30	48



### Kurotake

Natural black bamboo.

品番YA 010	Length/mm	φ/mm	U/P(€)
01	2,000	9	4
02	2,000	12	4
03	2,000	15	5
04	2,000	18	7
05	2,000	21	9
06	2,000	24	10
07	2,000	27	12
08	2,000	30	15
09	3,000	18	9
10	3,000	21	11
11	3,000	24	13
12	3,000	27	15
13	3,000	30	18
14	4,100	24	15
15	4,100	27	17
16	4,100	30	22
17	4,100	33~36	30
18	4,100	39~42	49



### Toratake

Bamboo with a tiger pattern, mostly used for interior.

品番YA 011	Length/mm	φ/mm	U/P(€)
01	4,000	30	29
02	4,000	33~36	38
03	4,000	39~42	43
04	4,000	45~51	60
05	4,000	54~63	88
06	4,000	66~72	110
07	4,000	75~81	150



### Monchiku

Bamboo with its natural pattern.

品番YA 012	Length/mm	φ/mm	U/P(€)
01	2,000	15~18	36
02	2,000	21~24	38
03	2,000	27~30	38
04	2,000	33~36	39
05	3,000	21~24	46
06	3,000	27~30	46
07	4,000	27~30	53
08	4,000	33~36	58
09	4,000	39~42	58
10	4,000	45~51	69
11	4,000	54~63	83
12	4,000	66~72	120
13	4,000	75~81	160



■ Toratake YA-011 p.16



### Zumentake

Bamboo with an artificial designed pattern.

品番YA	Length/mm	φ/mm	Protected U/P(€)
013			
01	4,000	60~69	320
02	4,000	72~81	400
03	4,000	84~90	490
04	4,000	93~99	140
05	4,000	102~108	140
06	4,000	111~117	140
07	4,000	120~129	150
08	4,000	132~141	150
09	4,000	144~153	210
10	2,000~3,000	60~69	170
11	2,000~3,000	72~81	170
12	2,000~3,000	84~90	170
13	2,000~3,000	93~99	180
14	2,000~3,000	102~108	190
15	2,000~3,000	111~117	250

Protected



### Zumentake (Kaku)

Square bamboo with an artificial designed pattern.

品番YA	Length/mm	φ/mm	Protected U/P(€)
014			
01	4,000	45~66	630
02	4,000	69~81	160
03	4,000	84~99	180
04	4,000	102~111	220
05	4,000	114~123	250
06	4,000	126~135	420
11	2,000~3,000	45~66	210
12	2,000~3,000	69~81	230
13	2,000~3,000	84~99	250
14	2,000~3,000	102~111	320
15	2,000~3,000	114~123	500

Protected



### Zumentake (Hira)

Flat bamboo with an artificial designed pattern.

品番YA	Length/mm	φ/mm	Protected U/P(€)
015			
01	4,000	60~66	500
02	4,000	69~81	690
03	4,000	84~99	920
04	4,000	102~111	1,090
05	4,000	114~126	1,250
06	4,000	129~141	190
07	4,000	144~156	190
08	4,000	159~171	220
09	4,000	174~186	270
12	2,000~3,000	60~66	230
13	2,000~3,000	69~81	230
14	2,000~3,000	84~99	270
15	2,000~3,000	102~111	310

Protected



### Shiratake (Kaku)

Square natural white bamboo.

品番YA	Length/mm	φ/mm	Protected U/P(€)
016			
01	4,000	45~66	500
02	4,000	69~81	220
03	4,000	84~99	240
04	4,000	102~111	250
05	4,000	114~123	270
06	2,000~3,000	45~66	260
07	2,000~3,000	69~81	280
08	2,000~3,000	84~99	300
09	2,000~3,000	102~111	320

Protected



### Shiratake (Hira)

Flat natural white bamboo.

品番YA	Length/mm	φ/mm	Protected U/P(€)
017			
01	4,000	60~66	240
02	4,000	69~81	240
03	4,000	84~99	250
04	4,000	102~111	280
05	2,000~3,000	60~66	260
06	2,000~3,000	69~81	280
07	2,000~3,000	84~99	300
08	2,000~3,000	102~111	340

Protected



### Sabitake (Kaku)

Square bamboo with a natural sesame pattern.

品番YA	Length/mm	φ/mm	U/P(€)
018			
01	4,000	45~66	750
02	4,000	69~81	840
03	4,000	84~99	430
04	4,000	102~111	440
05	4,000	114~123	450
06	4,000	126~135	500
07	2,000~3,000	45~66	490
08	2,000~3,000	69~81	500
09	2,000~3,000	84~99	530
10	2,000~3,000	102~111	650





### Sabitake (Hira)

Flat bamboo with a natural sesame pattern.

品番YA 019	Length/mm	φ/mm	U/P(€)
01	4,000	60~66	420
02	4,000	69~81	420
03	4,000	84~99	440
04	4,000	102~111	530
05	2,000~3,000	60~66	530
06	2,000~3,000	69~81	530
07	2,000~3,000	84~99	570
08	2,000~3,000	102~111	690



### Somesusutake (Kaku)

Square bamboo dyed in a dark red color.

品番YA 020	Length/mm	φ/mm	Protected U/P(€)
01	4,000	69~81	290
02	4,000	84~99	340
03	4,000	102~111	390
04	2,000~3,000	69~81	310
05	2,000~3,000	84~99	360
06	2,000~3,000	102~111	420

Protected



### Somesustake (Hira)

Flat bamboo dyed in a dark red color.

品番YA 021	Length/mm	φ/mm	Protected U/P(€)
01	4,000	69~81	290
02	4,000	84~99	340
03	4,000	102~111	390
04	2,000~3,000	69~81	310
05	2,000~3,000	84~99	360
06	2,000~3,000	102~111	420

Protected



### Honsusutake

Bamboo smoked for 150 years, used for old Japanese houses. Every bamboo design is different.

品番YA 022	Length/mm	φ/mm	U/P(€)
01	2,000	9~18	100
02	2,000	21~24	83
03	2,000	27~30	79
04	2,000	33~39	83
05	3,000	21~24	110
06	3,000	27~30	94
07	3,000	33~39	100
08	3,950	24~33	140
09	3,950	36~42	160
10	3,950	45~51	220
11	3,950	54~63	590~840
12	3,950	66~72	840~2,000
13	3,950	75~81	2,000~3,340
14	3,950	84~90	3,340~12,500



■ Honsusutake YA-022 p.18





### Somesusutake

Bamboo dyed in a dark red color.

品番YA 023	Length/mm	φ/mm	Protected U/P(€)
01	2,000	9~12	15
02	2,000	15	15
03	2,000	18	16
04	2,000	21	17
05	2,000	24	18
06	2,000	27	18
07	2,000	30	20
08	3,000	18	19
09	3,000	21	19
10	3,000	24	22
11	3,000	27	24
12	3,000	30	26
13	3,950	24	26
14	3,950	27	28
15	3,950	30	34
16	3,950	33~36	55
17	3,950	39~42	67
18	3,950	45~51	80
19	3,950	54~63	110
20	3,950	66~72	140
21	3,950	75~81	167
22	3,950	84~90	200
23	3,950	93~99	260
24	3,950	102~108	320

Protected

### Somesusutake (Bokashi)

Bamboo dyed in a dark red color with an artificial design, making it similar to Honsusutake.

品番YA 024	Length/mm	φ/mm	Protected U/P(€)
01	2,000	9~12	21
02	2,000	15	23
03	2,000	18	23
04	2,000	21	25
05	2,000	24	26
06	2,000	27	27
07	2,000	30	30
08	3,000	18	30
09	3,000	21	33
10	3,000	24	35
11	3,000	27	36
12	3,000	30	39
13	3,950	24	42
14	3,950	27	44
15	3,950	30	46
16	3,950	33~36	67
17	3,950	39~42	100
18	3,950	45~51	110
19	3,950	54~63	150
20	3,950	66~72	175
21	3,950	75~81	225
22	3,950	84~90	270
23	3,950	93~99	342
24	3,950	102~108	417

Protected



### Koshokutake

Bamboo dyed in an orange color.

品番YA 025	Length/mm	φ/mm	Protected U/P(€)
01	2,000	9~12	15
02	2,000	15	15
03	2,000	18	16
04	2,000	21	17
05	2,000	24	18
06	2,000	27	18
07	2,000	30	20
08	3,000	18	19
09	3,000	21	19
10	3,000	24	22
11	3,000	27	24
12	3,000	30	26
13	3,950	24	26
14	3,950	27	28
15	3,950	30	34
16	3,950	33~36	55
17	3,950	39~42	67
18	3,950	45~51	80
19	3,950	54~63	110
20	3,950	66~72	140
21	3,950	75~81	167
22	3,950	84~90	200
23	3,950	93~99	260
24	3,950	102~108	320

Protected





### Susuyatake

Yatake bamboo dyed in a dark red color.

品番YA 026	Length/mm	φ/mm	Protected U/P(€)
01	2,000	9	14
02	2,000	12	16
03	2,000	15	17
04	3,000	12	20
05	3,000	15	21
06	3,950	15	28
07	3,950	18	30

Protected



YA-027



YA-028

### Someaotake

Bamboo dyed in a green color.

品番YA 027	Length/mm	φ/mm	Protected U/P(€)
01	2,000	9~12	15
02	2,000	15	15
03	2,000	18	16
04	2,000	21	17
05	2,000	24	18
06	2,000	27	18
07	2,000	30	20
08	3,000	18	19
09	3,000	21	19
10	3,000	24	22
11	3,000	27	24
12	3,000	30	26
13	3,950	24	26
14	3,950	27	28
15	3,950	30	34
16	3,950	33~36	55
17	3,950	39~42	67
18	3,950	45~51	80
19	3,950	54~63	110
20	3,950	66~72	140
21	3,950	75~81	167
22	3,950	84~90	200
23	3,950	93~99	260
24	3,950	102~108	320

Protected

### Somekurotake

Bamboo dyed in a black color.

品番YA 028	Length/mm	φ/mm	Protected U/P(€)
01	2,000	9~12	15
02	2,000	15	15
03	2,000	18	16
04	2,000	21	17
05	2,000	24	18
06	2,000	27	18
07	2,000	30	20
08	3,000	18	19
09	3,000	21	19
10	3,000	24	22
11	3,000	27	24
12	3,000	30	26
13	3,950	24	26
14	3,950	27	28
15	3,950	30	34
16	3,950	33~36	55
17	3,950	39~42	67
18	3,950	45~51	80
19	3,950	54~63	110
20	3,950	66~72	140
21	3,950	75~81	167
22	3,950	84~90	200
23	3,950	93~99	260
24	3,950	102~108	320

Protected



■ Someaotake YA-027 p.20





### Tosotake

Bamboo painted in different colors.

品番YA 029	Length /mm	φ/mm	BU·GN·BK·RD·WT U/P(€)
01	1,910	9~18	38
02	1,910	21~24	44
03	1,910	27~30	49
04	3,000	21	79
05	3,000	24	83
06	3,000	27	88
07	3,000	30	92
08	3,940	30~39	110
09	3,940	42~48	110
10	3,940	51~60	130
11	3,940	63~69	140
12	3,940	72~78	170
13	3,940	81~87	270
14	3,940	90~99	300
15	3,940	102~108	350
16	3,940	111~117	400
17	3,940	120~129	450
	Length /mm	φ/mm	BN·GD·SI U/P(€)
18	1,910	9~18	42
19	1,910	21~24	50
20	1,910	27~30	54
21	3,000	21	85
22	3,000	24	92
23	3,000	27	94
24	3,000	30	100
25	3,940	30~39	120
26	3,940	42~48	130
27	3,940	51~60	140
28	3,940	63~69	150
29	3,940	72~78	190
30	3,940	81~87	300
31	3,940	90~99	330
32	3,940	102~108	400
33	3,940	111~117	460
34	3,940	120~129	500

BU=Blue  
GN=Green  
BK=Black  
RD=Red  
WT=White  
BN=Brown  
GD=Gold  
SI=Silver



### Shinatake

Bamboo with a natural spiral pattern.

品番YA 030	Length/mm	φ/mm	U/P(€)
01	1,200	9	8
02	1,200	12	17
03	1,500	15	25
04	1,800	18	33



### Hoteitake

Bamboo with a bumpy pattern towards the bottom.

品番YA 031	Length/mm	φ/mm	U/P(€)
01	2,000	21~24	25
02	2,000	27~30	29
03	2,000	33~36	33



### Kikkotake

Bamboo with a pattern of a turtle shell towards the bottom.

品番YA 032	Length/mm	φ/mm	Protected U/P(€)
01	1,200~1,800	30~45	130~250
02	1,800~2,400	48~60	250~380
03	2,400~3,000	63~75	380~500
04	3,000~3,600	78~90	500~750
05	3,000~3,600	93~105	750~2,500

Protected



■ Tosotake(white) YA-029 p.21





### Sabikikkotake

Turtle shell bamboo with a natural sesame pattern.

品番YA 033	Length/mm	φ/mm	U/P(€)
01	1,800~2,400	48~60	380~500
02	1,800~2,400	63~75	500~750
03	1,800~2,400	78~90	750~2,500



### Somesusukikkotake

Turtle shell bamboo dyed in a dark red color.

品番YA 034	Length/mm	φ/mm	Protected U/P(€)
01	1,800~2,400	48~60	300~430
02	1,800~2,400	63~75	430~550
03	1,800~2,400	78~90	550~800

Protected



### Hitake

Root of a bamboo. Only grows one in a thousand.

品番YA 035	Length/mm	φ/mm	U/P(€)
01	1,800	24~30	130~250
02	3,000	33~45	250~380
03	3,900	48~54	380~500




### Shimitake

Bamboo with natural black stains.

品番YA 036	Length/mm	φ/mm	Protected U/P(€)
01	1,800	24~30	130~200
02	3,000	33~45	200~330
03	3,900	48~60	330~380
04	3,900	63~75	380~500
05	3,900	78~90	500~750

Protected



### Aotake (Matake)

Natural fresh green bamboo.

品番YA 037	Length/mm	φ/mm	U/P(€)
01	4,000	30~33	15
02	4,000	36~42	21
03	4,000	45~51	32
04	4,000	54~63	42
05	4,000	66~72	57
06	4,000	75~81	79
07	4,000	84~90	110



### Aotake (Moso)

Thick natural fresh green bamboo.

品番YA 038	Length/mm	φ/mm	U/P(€)
01	4,000	93~99	80
02	4,000	102~111	87
03	4,000	114~120	130
04	4,000	123~129	140
05	4,000	132~138	160
06	4,000	141~150	200
07	4,000	153~159	230
08	4,000	162~168	250
09	4,000	171~180	280



# 防災・難燃・ 不燃処理加工

Flame retardancy and  
non-combustible processing

We are researching flame retardancy and fireproofing for solid wood, specifically on bamboo materials.

We will answer to make a comfortable and secure 'Japanese' spacial atmosphere.

## Test results


A material should clear the standard limit, less than 8MJ/UF as total calorific value during the combustion test, to get an authorization as "fireproof" and the test results with our Bouen-dake shows 1.84MJ/m<sup>2</sup>.

### 〈試験条件〉

サンプル方向：水平  
サンプル面積：0.008840m<sup>2</sup>  
サンプル厚さ：17.00mm  
サンプル質量：106.05g (サンプルホルダー質量：880.91g)  
輻射量：50.0kW/m<sup>2</sup> (ヒーター温度：659.7℃)  
排気流量：0.024m<sup>3</sup>/sec (排気温度：27.3℃/排気圧力：143.613Pa)  
オリフィスタイプ：ラージ  
サンプル距離：25mm  
試験時間：300.00sec (サンプリング間隔：2sec)

### 〈換算パラメータ〉

キャリブレーションファクタ：0.04064881  
コンバージョンファクタ：13.100MJ/kg  
O2ベースライン：20.9542%



総発熱量 (THR) : 1.84MJ/m<sup>2</sup>

最大発熱速度 (HRR) : 10.39kW/m<sup>2</sup> at 300.00sec

平均発熱速度 (HRR) : 6.14kW/m<sup>2</sup>

平均発熱速度 T60 : 0.57kW/m<sup>2</sup>

平均発熱速度 T180 : 5.32kW/m<sup>2</sup>

平均発熱速度 T300 : 6.14kW/m<sup>2</sup>

最終サンプル質量 : 75.05g

サンプル質量減少 : 31.00g

燃焼時間 : 0.0sec

200k超過継続時間 : 0.0sec

200k超過総時間 : 0.0sec


表面に達する亀裂の有無 : 無し

貫通効に達する亀裂の有無 : 無し

貫通効の有無 : 無し

平均燃焼有効発熱量 (HOC) : 0.53MJ/kg


平均質量減少量 (MLR) : 13.191g/s · m<sup>2</sup>



Yokotake Board (Bamboo)



Yokotake Board (Reed)



Yokotake Board (Ajiro)



Blind

For details visit our website.

<http://yokotake.net/>



# 銘竹加工


## Bamboo Processing

### Flat Cut



Processed by shaving both sides and the bottom to create a flat shape. It is possible in various sizes.


\* Details on page 26.



### Half Skin Shaved




Processed by shaving off the skin of the flat cut bamboo in the middle.



### Whole Skin Shaved




Processed by shaving all of the skin of the flat cut bamboo. It is possible to paint and add color to the bamboo.



### Split Cut




Processed by making a split in the back to prevent natural cracks.



### Backside Skin Shaved



Processed by shaving the skin in the back of the bamboo to make it easier to attach to walls and ceilings.






## Rattan Rolled



Processed by rapping rattan to avoid enlargement of the split in the split cut bamboo. It is possible to add color to the rattan to match the bamboo.




Side view

## Polyurethane Filled



Processed by filling the inside of the bamboo with polyurethane to make it easier to insert screws and nails.




Cross-section view

## Half Cut



Processed by cutting the bamboo in the middle.




Cross-section view

## Quarter Cut



Processed by cutting a quarter of the bamboo.




Cross-section view

## Both Sides Cut



Processed by cutting both sides of the bamboo to make it flat.

\* Details on page 27.




Cross-section view

## Waterproofed



Processed by covering the bamboo with waterproof wax to prevent mold and dirt.

\* Details on page 28.




Cross-section view



# 銘竹割竹

## Flat Cut Bamboos

Flat Cut Bamboos is shaved in both sides and bottom to create a flat shape and is mostly used for walls, ceilings, furniture and blinds.





### 1 Joiner (Sabi)

品番YC 011	Length/mm	width/mm	U/P(€)
01	1,820	21	15

### 2 Joiner (Zumen)

品番YC 012	Length/mm	width/mm	U/P(€)
01	1,820	21	15



### 1 Sarashi (Moso)

品番YC 001	Length/mm	width/mm	U/P(€)
01	2,000	30	11
02	2,000	37.5	13
03	2,000	45	29

### 2 Sarashi (Madake)

品番YC 002	Length/mm	width/mm	U/P(€)
01	2,000	15	8
02	2,000	18	8
03	2,000	21	10
04	2,000	24	10

### 3 Sabi

品番YC 003	Length/mm	width/mm	U/P(€)
01	2,000	15	8
02	2,000	18	8
03	2,000	21	8
04	2,000	24	9
05	2,000	30	12
06	2,000	37.5	13

### 4 Honsusu

品番YC 004	Length/mm	width/mm		U/P(€)
01	1,000	15	Regular	15
02	1,000	15	Special	20
03	2,000	18	Regular	50
04	2,000	18	Special	64
05	2,000	21	Regular	55
06	2,000	21	Special	70
07	2,000	24	Regular	63
08	2,000	24	Special	82

Smoked Bamboo

### 5 Tankasusu

品番YC 005	Length/mm	width/mm	U/P(€)
01	2,000	15	17
02	2,000	18	17
03	2,000	21	18
04	2,000	24	19

Smoked Bamboo

### 6 Somesusu

品番YC 006	Length/mm	width/mm	U/P(€)
01	2,000	15	10
02	2,000	18	10
03	2,000	21	12
04	2,000	24	13

Dyed Bamboo

### 7 Somekuro

品番YC 007	Length/mm	width/mm	U/P(€)
01	2,000	15	10
02	2,000	18	10
03	2,000	21	12
04	2,000	24	13

Dyed Bamboo

※受注生産品

### 8 Montiku

品番YC 008	Length/mm	width/mm	U/P(€)
01	2,000	18	10
02	2,000	21	12

### 9 Zumen


品番YC 009	Length/mm	width/mm	U/P(€)
01	2,000	15	9
02	2,000	18	10
03	2,000	21	10
04	2,000	24	12
05	2,000	30	13
06	2,000	37.5	13

# 杢割 Masawari

Masawari is cut in both sides of the bamboo to make it flat.

## <Attention>

When ordering, please specify the thickness.  
Masawari bamboo is very fragile, so be sure to check if there are any damages at arrival.



Masawari Smoothened on one side				
品番YB	Length/mm	Width/mm	U/P(€)	
011				
01	1,950	24~30	28	
02	1,950	31~37	33	
03	1,950	38~44	38	
04	1,950	45~51	44	
05	1,950	52~60	62	
06	1,950	61~69	75	
07	1,950	70~78	84	
08	3,000	24~30	35	
09	3,000	31~37	53	
10	3,000	38~44	63	
11	3,000	45~51	73	
12	3,000	52~60	110	
13	3,000	61~69	130	
14	3,000	70~78	150	

Masawari Smoothened on both sides				
品番YB	Length/mm	Width/mm	U/P(€)	
012				
01	1,950	24~30	30	
02	1,950	31~37	35	
03	1,950	38~44	42	
04	1,950	45~51	48	
05	1,950	52~60	67	
06	1,950	61~69	80	
07	1,950	70~78	90	
08	3,000	24~30	38	
09	3,000	31~37	57	
10	3,000	38~44	67	
11	3,000	45~51	78	
12	3,000	52~60	120	
13	3,000	61~69	140	
14	3,000	70~78	160	



# 超撥水・防カビ・防汚加工


## Waterproof Processing

Waterproof Processing is processed by covering the bamboo with waterproof wax to prevent mold and dirt.



YA-001 Sarashi

Makes a high efficient bamboo to be used anywhere.



YH-092 Yamayoshi

Makes a high efficient Yokotake Board to be used anywhere.



YR-015 Gamashin

Makes a long durability on blinds that touch rain and wind.



YO-009 Wood (Cedar)

Can also be used for wood.




Processed

3 years time

UnProcessed





## Insect Protection Processing


# 防虫処理加工

### How to protect bamboo from insects

As shown in the right illustration, the processing steps of protection from insects are forming a vacuum in the can of the machine, pouring a special insect repellent, and then, applying pressure to the bamboo. This is the most safe and reliable way of processing.

The protected bamboo will have the sticker (displayed below) on it to represent that the process has been completed.

\* As for the thin bamboos, process completion will be shown with green paint, painted on the bottom surface of the bamboo.





# 人工丸竹

## Artificial Bamboo

A series of  
"Artificial Bamboo"  
reproducing the beauty of  
natural bamboos.



### Artificial bamboo (Yellow)

品番YA 040	Length/mm	φ/mm	U/P(€)
01	1,830	10	5
02	1,830	13	6
03	1,830	16	7
04	1,830	20	8
05	1,830	22	8
06	1,830	26	10
07	1,830	30	12
08	1,830	38	15
09	1,830	50	30
10	1,830	63	43
11	1,830	80	56
12	3,660	10	8
13	3,660	13	11
14	3,660	16	13
15	3,660	20	14
16	3,660	22	14
17	3,660	26	19
18	3,660	30	24
19	3,660	38	30
20	3,660	50	59
21	3,660	63	82
22	3,660	80	110
23	4,000	22	15
24	4,000	26	20
25	4,000	30	26



■ Artificial bamboo (Trans pantent) YA-046 p.31




### Artificial bamboo (Green)

品番YA 041	Length/mm	φ/mm	U/P(€)
01	3,660	10	9
02	3,660	16	15
03	3,660	22	17
04	3,660	26	24
05	3,660	30	29
06	3,660	38	37
07	3,660	50	60
08	3,660	63	85
09	3,660	80	110



### Artificial bamboo (Black)

品番YA 042	Length/mm	φ/mm	U/P(€)
01	3,660	10	9
02	3,660	16	15
03	3,660	22	17
04	3,660	26	24
05	3,660	30	29
06	3,660	38	37
07	3,660	50	60
08	3,660	63	85
09	3,660	80	110



Artificial bamboo (Dark brown)

品番YA 043	Length/mm	φ/mm	U/P(€)
01	3,660	10	9
02	3,660	16	15
03	3,660	20	17
04	3,660	22	17
05	3,660	26	24
06	3,660	30	29
07	3,660	38	37
08	3,660	50	60
09	3,660	63	85
10	3,660	80	110



Artificial bamboo (Brown)

品番YA 044	Length/mm	φ/mm	U/P(€)
01	3,660	10	9
02	3,660	16	15
03	3,660	20	17
04	3,660	22	17
05	3,660	26	24
06	3,660	30	29
07	3,660	38	37
08	3,660	50	60
09	3,660	63	85
10	3,660	80	110




Artificial bamboo (Sesame Pattern)

品番YA 045	Length/mm	φ/mm	U/P(€)
01	3,660	10	11
02	3,660	16	17
03	3,660	20	19
04	3,660	22	19
05	3,660	26	26
06	3,660	30	32
07	3,660	38	40
08	3,660	50	65
09	3,660	63	89
10	3,660	80	120



Artificial bamboo (Transparent)

品番YA 046	Length/mm	φ/mm	U/P(€)
01	3,660	16	24
02	3,660	22	30
03	3,660	26	45
04	3,660	30	52
05	3,660	38	67
06	3,660	50	110
07	3,660	63	150
08	3,660	80	200



Aluminum bamboo (Wakatake)

品番YA 047	Length/mm	φ/mm	U/P(€)
01	4,000	60	190
02	4,000	80	270
03	4,000	90	280
04	3,700	22	55
05	3,700	30	91



Aluminum bamboo (Karetake)

品番YA 048	Length/mm	φ/mm	U/P(€)
01	4,000	60	190
02	4,000	80	270
03	4,000	90	280



# 葎材料

Reed

■ Kawatsukiyoshi YB-003 p.32



## Bouhagi

The stem of bush clover, smoothed and arranged.

品番YB	Length /mm	φ/mm	U/P(€)
001			
01	about 1,800	7.5~9	5



## Gamashin

The stem of a cattail reed mace.

品番YB	Length /mm	φ/mm	U/P(€)
002			
01	about 1,000	6~7.5	2
02	about 1,350	7.5~9	3



## Kawatsukiyoshi

Reed with its skin, mostly used for tea ceremony rooms.

品番YB	Length /mm	φ/mm	U/P(€)
003			
01	about 1,800	6~9	3



## Migakiyoshi

Reed without its skin, smoothed and polished.

品番YB	Length /mm	φ/mm	U/P(€)
004			
01	about 1,500	6~7.5	7




# 銘竹貼物

## Pasted Bamboo Poles

A traditional Kyoto technique of pasting bamboo around wood. Depending on variety of usage, it can be pasted from one side to all sides.

■ Sabi (Three sides pasted) YD-001 / Sabi (Two sides pasted) YD-006 p.33



### 1 Sabi (Three sides pasted)

品番YD 001	Length/mm	Width×height /mm	U/P(€)
01	3,000	24×30	58
02	3,950	24×30	64
03	4,500	24×30	120
04	5,400	24×30	190

### 2 Sabi (One side pasted)

品番YD 002	Length/mm	Width×height /mm	U/P(€)
01	3,000	24×30	50
02	3,950	24×30	58

### 3 Sabi (Three sides pasted)

品番YD 003	Length/mm	Width×height /mm	U/P(€)
01	3,000	36×24	70
02	3,950	36×24	79

### 4 Sabi (Three sides pasted)

品番YD 004	Length/mm	Width×height /mm	U/P(€)
01	3,000	39×39	97
02	3,950	39×39	110

### 5 Sabi (Three sides pasted)

品番YD 005	Length/mm	Width×height /mm	U/P(€)
01	3,000	45×45	140
02	3,950	45×45	150

### 6 Sabi (Two sides pasted)

品番YD 006	Length/mm	Width×height /mm	U/P(€)
01	3,000	45×45	88
02	3,950	45×45	98
03	4,500	45×45	180
04	5,400	45×45	290

### 7 Sabi (Three sides pasted)

品番YD 007	Length/mm	Width×height /mm	U/P(€)
01	3,000	54×66	200
02	3,950	54×66	220
03	4,500	54×66	400
04	5,400	54×66	480

### 8 Sabi (Three sides pasted)

品番YD 008	Length/mm	Width×height /mm	U/P(€)
01	1,950	70×45	110
02	3,000	70×45	200
03	3,950	70×45	220
04	4,500	70×45	400
05	5,400	70×45	480


### 9 Sabi (Three sides pasted)

品番YD 009	Length/mm	Width×height /mm	U/P(€)
01	1,950	90×60	180
02	3,000	90×60	320
03	3,950	90×60	370

Cross-section view

	One side pasted		Two sides pasted		Three sides pasted		All sides pasted		Louver
--	-----------------	--	------------------	--	--------------------	--	------------------	--	--------





### 1 Sabi (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
010			
01	1,950	18×18	42
02	3,000	18×18	60

### 2 Sabi (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
011			
01	1,950	24×24	56
02	3,000	24×24	83
03	3,950	24×24	110

### 3 Sabi (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
012			
01	1,950	30×30	63
02	3,000	30×30	92
03	3,950	30×30	140

### 4 Sabi (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
013			
01	1,950	39×39	96
02	3,000	39×39	150
03	3,950	39×39	190

### 5 Sabi (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
014			
01	1,950	45×45	130
02	3,000	45×45	180
03	3,950	45×45	250

### 6 Sabi (One side pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
015			
01	1,950	45×30	44
02	3,000	45×30	64

### 7 Sabi (One side pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
016			
01	1,950	60×30	61
02	3,000	60×30	78

### 8 Sabi (Louver)

品番YD	Length/mm	Width×height /mm	U/P(€)
017			
01	1,950	54×36	110
02	3,000	54×36	170
03	3,950	54×36	240



### 1 Zumen (Three sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
018			
01	3,000	24×30	63
02	3,950	24×30	71
03	4,500	24×30	130
04	5,400	24×30	210

### 2 Zumen (Three sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
019			
01	3,000	36×24	88
02	3,950	36×24	97

### 3 Zumen (Two sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
020			
01	3,000	45×45	110
02	3,950	45×45	120
03	4,500	45×45	210
04	5,400	45×45	320

### 4 Zumen (Three sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
021			
01	3,000	54×66	230
02	3,950	54×66	250
03	4,500	54×66	460
04	5,400	54×66	540

### 5 Zumen (Three sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
022			
01	1,950	70×45	130
02	3,000	70×45	230
03	3,950	70×45	250
04	4,500	70×45	460
05	5,400	70×45	540

### 6 Zumen (Three sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
023			
01	1,950	90×60	210
02	3,000	90×60	380
03	3,950	90×60	420



### 1 Zumen (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
024			
01	1,950	18×18	52
02	3,000	18×18	82

### 2 Zumen (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
025			
01	1,950	24×24	59
02	3,000	24×24	110
03	3,950	24×24	130

### 3 Zumen (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
026			
01	1,950	30×30	75
02	3,000	30×30	120
03	3,950	30×30	160

### 4 Zumen (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
027			
01	1,950	39×39	110
02	3,000	39×39	180
03	3,950	39×39	220



### 5 Zumen (All sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
028			
01	1,950	45×45	150
02	3,000	45×45	220
03	3,950	45×45	280

### 6 Zumen (One side pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
029			
01	1,950	45×30	50
02	3,000	45×30	70

### 7 Zumen (One side pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
030			
01	1,950	60×30	63
02	3,000	60×30	88

### 8 Zumen (Louver)

品番YD	Length/mm	Width×height /mm	U/P(€)
031			
01	1,950	54×36	130
02	3,000	54×36	210
03	3,950	54×36	280

### 1 Sarashi (Three sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
032			
01	3,000	24×30	78
02	3,950	24×30	88

### 2 Somesusu (Three sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
033			
01	3,000	24×30	110
02	3,950	24×30	130

Dyed Bamboo

### 3 Somesusu (Two sides pasted)

品番YD	Length/mm	Width×height /mm	U/P(€)
034			
01	3,000	45×45	150
02	3,950	45×45	160

Dyed Bamboo

### 4 Somesusu (Three sides pasted)


品番YD	Length/mm	Width×height /mm	U/P(€)
035			
01	3,000	54×66	330
02	3,950	54×66	350

Dyed Bamboo




## Pasted Bamboo Poles (Removal Model)

By separating the wood and the bamboo, it prevents leaving a screw mark on the bamboo.  
After screwing the wood from the ceiling surface, the bamboo is glued on from the outside.



1 The Yokotake board is installed in rows without space.



2 The wood is screwed on to the ceiling.  
\*Be sure to screw the nail all the way into the wood.



3 Paste glue bonding on the inside of bamboo on all three sides.



4

## 施工方法

Construction technique

Attach the bamboo on the wood and finished when the glue bonding is dry.



### 1 Somekuro (Removal Model)

品番YD	Length/mm	Width×height /mm	U/P(€)
036			
01	3,950	30×18	150

Dyed Bamboo

### 2 Somesusu (Removal Model)

品番YD	Length/mm	Width×height /mm	U/P(€)
037			
01	3,950	30×18	140

Dyed Bamboo

### 3 Zumen (Removal Model)

品番YD	Length/mm	Width×height /mm	U/P(€)
038			
01	3,950	30×18	88

### 4 Sabi (Removal Model)

品番YD	Length/mm	Width×height /mm	U/P(€)
039			
01	3,950	30×18	78

### 5 Sarashi (Removal Model)


品番YD	Length/mm	Width×height /mm	U/P(€)
040			
01	3,950	30×18	110

# 銘木建材

## Wood Building Materials

A collection of precious wood. Mostly used for alcove post and ceiling posts.

■ Sakurahari (Migaki) YE-020 p.39



### 1 Yakisugitakeiri

品番YE 001	Length/mm	Width×height /mm	U/P(€)
01	2,950	24×24	36
02	3,950	24×24	40

### 2 Zindaitakeiri

品番YE 002	Length/mm	Width×height /mm	U/P(€)
01	2,950	24×24	40
02	3,950	24×24	44

### 3 Yakisugisarumen

品番YE 003	Length/mm	Width×height /mm	U/P(€)
01	2,950	24×24	33
02	3,950	24×24	36

### 4 Yakisuginaguri

品番YE 004	Length/mm	Width×height /mm	U/P(€)
01	2,950	24×24	33
02	3,950	24×24	36

### 5 Sugisarumen

品番YE 005	Length/mm	Width×height /mm	U/P(€)
01	2,950	24×24	40
02	3,950	24×24	45

### 6 Sugishiroyaki

品番YE 006	Length/mm	Width×height /mm	U/P(€)
01	3,000	24×24	40
02	3,950	24×24	45

### 7 Akasugisarumen

品番YE 007	Length/mm	Width×height /mm	U/P(€)
01	2,950	24×24	66
02	3,950	24×24	76


### 8 Shiromenkawa

品番YE 008	Length /mm	Width×height /mm	U/P(€)
01	2,950	24×24	Please contact us.
02	3,950	24×24	

### 9 Kuronurimenkawa

品番YE 009			
01	Please contact us.		






### 1 Yakisugitakeiri

品番YE 010	Length/mm	Width×height /mm	U/P(€)
01	2,950	45×39	54
02	3,950	45×39	61
03	4,500	45×39	130
04	2,950	54×45	88
05	3,950	54×45	99
06	4,500	54×45	190

### 2 Zindaitakeiri

品番YE 011	Length/mm	Width×height /mm	U/P(€)
01	2,950	45×39	61
02	3,950	45×39	71



### 1 Yakisugitakeiri

品番YE 015	Length/mm	Width×height /mm	U/P(€)
01	2,950	45×57	95
02	3,950	45×57	110
03	4,500	45×57	210

### 2 Zindaitakeiri

品番YE 016	Length/mm	Width×height /mm	U/P(€)
01	2,950	45×57	110
02	3,950	45×57	120

### 3 Yakisugimenkawa

品番YE 017	Length /mm	Width×height /mm	U/P(€)
01	2,950	45×57	Please contact us.
02	3,950	45×57	
03	4,500	45×57	

### 4 Shiromenkawa

品番YE 018	Length /mm	Width×height /mm	U/P(€)
01	2,950	45×57	Please contact us.
02	3,950	45×57	

### 3 Yakisugimenkawa

品番YE 012	Length /mm	Width×height /mm	U/P(€)
01	2,950	45×39	Please contact us.
02	3,950	45×39	
03	4,500	45×39	
04	2,950	54×45	
05	3,950	54×45	
06	4,500	54×45	

### 4 Shiromenkawa

品番YE 013	Length /mm	Width×height /mm	U/P(€)
01	2,950	45×39	Please contact us.
02	3,950	45×39	

### 5 Kuronurimenkawa

品番YE 014	
01	Please contact us.

### 5 Kuronurimenkawa

品番YE 019	
01	Please contact us.



## Sakurahari (Migaki)

品番YE	φ/mm	U/P(€)		
		3,000mm	3,950mm	4,500mm
020				
01	about 27	72	78	130
02	about 36	110	140	190
03	about 45	130	150	230
04	about 60	180	200	300
05	about 75	220	270	440
06	about 90	360	440	800
07	about 105	500	600	1,100
08	about 120	720	900	1,420
09	about 150	1,910	2,250	—



## Sakurahari (Sabi)

品番YE	φ/mm	U/P(€)		
		3,000mm	3,950mm	4,500mm
021				
01	about 27	72	78	130
02	about 36	110	140	190
03	about 45	130	150	230
04	about 60	180	200	300
05	about 75	220	270	440
06	about 90	360	440	800
07	about 105	500	600	1,100
08	about 120	720	900	1,420
09	about 150	1,910	2,250	—



## Akamatsuhari

品番YE	φ/mm	U/P(€)	
		3,000mm	3,950mm
022			
01	about 27	72	100
02	about 45	130	160
03	about 60	180	220
04	about 75	230	310
05	about 90	380	530
06	about 105	520	—
07	about 120	900	—



## Yokotake Board

# ヨコタケボード

Yokotake board signifies different types of products pasted on the outside of veneers, such as bamboo, reed, and cedar.

■ Kurotake (Half Cut) YH-037/038 p.45



### Sarashi (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm	Width×height/mm	U/P(€)
品番YH 001	01 910×1,820	250
Vertical piled	02 955×1,910	320
品番YH 002	01 910×1,820	250
Horizontal piled	02 955×1,910	320

Different and special sizes available.

Bamboo Width 37.5mm Flame retardant veneer 4mm	Width×height/mm	Flame Retardant Product U/P(€)
品番YH 178	01 910×1,820	440
Vertical piled	02 955×1,910	620
品番YH 179	01 910×1,820	440
Horizontal piled	02 955×1,910	620

Flame Retardant Product

Different and special sizes available.



### Zumen (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm	Width×height/mm	U/P(€)
品番YH 003	01 910×1,820	284
Vertical piled	02 955×1,910	359
品番YH 004	01 910×1,820	284
Horizontal piled	02 955×1,910	359

Different and special sizes available.

Bamboo Width 37.5mm Flame retardant veneer 4mm	Width×height/mm	Flame Retardant Product U/P(€)
品番YH 180	01 910×1,820	484
Vertical piled	02 955×1,910	667
品番YH 181	01 910×1,820	484
Horizontal piled	02 955×1,910	667

Flame Retardant Product

Different and special sizes available.



### Sabi (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm	Width×height/mm	U/P(€)
品番YH 007	01 910×1,820	250
Vertical piled	02 955×1,910	310
品番YH 008	01 910×1,820	250
Horizontal piled	02 955×1,910	310

Different and special sizes available.

Bamboo Width 37.5mm Flame retardant veneer 4mm	Width×height/mm	Flame Retardant Product U/P(€)
品番YH 182	01 910×1,820	440
Vertical piled	02 955×1,910	620
品番YH 183	01 910×1,820	440
Horizontal piled	02 955×1,910	620

Flame Retardant Product

Different and special sizes available.

### Cross-section view

#### Flat Cut



#### Flat Cut (Tokusa)




#### Half Cut



#### Circle Cut







## Sarashi (Flat Cut)



Bamboo Width 25mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 017	01	910×1,820	390
Vertical piled	02	955×1,910	440
品番YH 018	01	910×1,820	390
Horizontal piled	02	955×1,910	440

Different and special sizes available.

Bamboo Width 25mm Flame retardant veneer 4mm		Width×height/mm	Flame Retardant Product U/P(€)
品番YH 184	01	910×1,820	600
Vertical piled	02	955×1,910	750
品番YH 185	01	910×1,820	600
Horizontal piled	02	955×1,910	750

Flame Retardant Product Different and special sizes available.



## Sabi (Flat Cut)




Bamboo Width 25mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 019	01	910×1,820	360
Vertical piled	02	955×1,910	400
品番YH 020	01	910×1,820	360
Horizontal piled	02	955×1,910	400

Different and special sizes available.

Bamboo Width 25mm Flame retardant veneer 4mm		Width×height/mm	Flame Retardant Product U/P(€)
品番YH 186	01	910×1,820	570
Vertical piled	02	955×1,910	720
品番YH 187	01	910×1,820	570
Horizontal piled	02	955×1,910	720

Flame Retardant Product Different and special sizes available.




## Somesusu (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 005	01	910×1,820	310
Vertical piled	02	955×1,910	390
品番YH 006	01	910×1,820	310
Horizontal piled	02	955×1,910	390

Different and special sizes available.

## Dyed Bamboo



## Someao (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 009	01	910×1,820	330
Vertical piled	02	955×1,910	390
品番YH 010	01	910×1,820	330
Horizontal piled	02	955×1,910	390

Different and special sizes available.

## Dyed Bamboo



## Somekuro (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 011	01	910×1,820	330
Vertical piled	02	955×1,910	390
品番YH 012	01	910×1,820	330
Horizontal piled	02	955×1,910	390

Different and special sizes available.

## Dyed Bamboo



■ Sarashi (Flat Cut) YH-001/002 p.40






### Somesusu Bokashi (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 013	01	910×1,820	420
Vertical piled	02	955×1,910	500
品番YH 014	01	910×1,820	420
Horizontal piled	02	955×1,910	500

**Dyed Bamboo**

Different and special sizes available.



### Somekuro Bokashi (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 015	01	910×1,820	420
Vertical piled	02	955×1,910	500
品番YH 016	01	910×1,820	420
Horizontal piled	02	955×1,910	500

**Dyed Bamboo**

Different and special sizes available.



### Somesusu (Flat Cut)



Bamboo Width 25mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 021	01	910×1,820	460
Vertical piled	02	955×1,910	540
品番YH 022	01	910×1,820	460
Horizontal piled	02	955×1,910	540

**Dyed Bamboo**

Different and special sizes available.



### Koshoku (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 147	01	910×1,820	330
Vertical piled	02	955×1,910	390
品番YH 148	01	910×1,820	330
Horizontal piled	02	955×1,910	390

**Dyed Bamboo**

Different and special sizes available.




### Koshoku (Flat Cut)



Bamboo Width 25mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 149	01	910×1,820	460
Vertical piled	02	955×1,910	540
品番YH 150	01	910×1,820	460
Horizontal piled	02	955×1,910	540

**Dyed Bamboo**

Different and special sizes available.



### Kanryu (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 151	01	910×1,820	580
Vertical piled	02	955×1,910	700
品番YH 152	01	910×1,820	580
Horizontal piled	02	955×1,910	700

**Smoked Bamboo**

Different and special sizes available.




### Yakisarashi (Flat Cut)



Bamboo Width 37.5mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 153	01	910×1,820	310
Vertical piled	02	955×1,910	360
品番YH 154	01	910×1,820	310
Horizontal piled	02	955×1,910	360

Different and special sizes available.



### Sarashi (Flat Cut)



Bamboo Width 37.5mm VS Board 6mm		Width×height/mm	U/P(€)
品番YH 201	01	910×1,820	710
Vertical piled	02	1,000×2,000	880
品番YH 202	01	910×1,820	710
Horizontal piled	02	1,000×2,000	880

**Fireproof Product**



### Zumen (Flat Cut)



Bamboo Width 37.5mm VS Board 6mm		Width×height/mm	U/P(€)
品番YH 203	01	910×1,820	710
Vertical piled	02	1,000×2,000	880
品番YH 204	01	910×1,820	710
Horizontal piled	02	1,000×2,000	880

**Fireproof Product**




### Sabi (Flat Cut)



Bamboo Width 37.5mm VS Board 6mm		Width×height/mm	U/P(€)
品番YH 205	01	910×1,820	710
	02	1,000×2,000	880
品番YH 206	01	910×1,820	710
	02	1,000×2,000	880

Fireproof Product



### Susu (Flat Cut)



Bamboo Width 37.5mm VS Board 6mm		Width×height/mm	U/P(€)
品番YH 213	01	910×1,820	1,250
	02	1,000×2,000	1,420
品番YH 214	01	910×1,820	1,250
	02	1,000×2,000	1,420

Fireproof Product Smoked Bamboo



■ Somekuro Bokashi (Flat Cut) YH-015 p.42



■ Sarashi (Circle Cut) YH-025 p.44



Sarashi (Circle Cut) Vertical piled



品番YH 025	Width×height/mm	U/P(€)	
01	910×900	434	Bamboo Width 30mm Veneer 4mm
02	910×1,820	775	

Different and special sizes available.




Kurotake (Circle Cut) Vertical piled



品番YH 026	Width×height/mm	U/P(€)	
01	910×900	400	Bamboo Width 30mm Veneer 4mm
02	910×1,820	720	

Different and special sizes available.



Somesusu (Circle Cut) Vertical piled



品番YH 027	Width×height/mm	U/P(€)	
01	910×900	500	Bamboo Width 30mm Veneer 4mm
02	910×1,820	900	

Different and special sizes available.

Dyed Bamboo




Koshoku (Circle Cut) Vertical piled



品番YH 028	Width×height/mm	U/P(€)	
01	910×900	520	Bamboo Width 30mm Veneer 4mm
02	910×1,820	940	

Different and special sizes available.

Dyed Bamboo




Someao (Circle Cut) Vertical piled



品番YH 029	Width×height/mm	U/P(€)	
01	910×900	520	Bamboo Width 30mm Veneer 4mm
02	910×1,820	940	

Different and special sizes available.

Dyed Bamboo




Kanchiku (Circle Cut) Vertical piled



品番YH 030	Width×height/mm	U/P(€)	
01	910×1,820	※	Bamboo Width 30mm Veneer 4mm

Different and special sizes available. ※ Please contact us.





## Sarashi (Half Cut)



Bamboo Width 15~21mm Veneer 2.5mm		Width×height/mm	U/P(€)
品番YH 031	01	910×1,820	202
Vertical piled	02	955×1,910	220
品番YH 032	01	910×1,820	188
Horizontal piled	02	955×1,910	205

Different and special sizes available.

Bamboo Width 15~21mm Flame retardant veneer 4mm		Width×height/mm	Flame Retardant Product U/P(€)
品番YH 188	01	910×1,820	434
Vertical piled	02	955×1,910	584
品番YH 189	01	910×1,820	434
Horizontal piled	02	955×1,910	584

Flame Retardant Product Different and special sizes available.



## Sarashi (Half Cut)



Bamboo Width 27~30mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 033	01	910×1,820	310
Vertical piled	02	955×1,910	341
品番YH 034	01	910×1,820	310
Horizontal piled	02	955×1,910	341

Different and special sizes available.

Bamboo Width 27~30mm Flame retardant veneer 4mm		Width×height/mm	Flame Retardant Product U/P(€)
品番YH 196	01	910×1,820	542
Vertical piled	02	955×1,910	684
品番YH 197	01	910×1,820	542
Horizontal piled	02	955×1,910	684

Flame Retardant Product Different and special sizes available.




## Sarashi (Half Cut)



Bamboo Width 36~40mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 035	01	910×1,820	500
Vertical piled	02	955×1,910	542
品番YH 036	01	910×1,820	500
Horizontal piled	02	955×1,910	542

Different and special sizes available.



## Kurotake (Half Cut)




Bamboo Width 12~18mm Veneer 2.5mm		Width×height/mm	U/P(€)
品番YH 037	01	910×1,820	202
Vertical piled	02	955×1,910	220
品番YH 038	01	910×1,820	193
Horizontal piled	02	955×1,910	211

Different and special sizes available.

Bamboo Width 12~18mm Flame retardant veneer 4mm		Width×height/mm	Flame Retardant Product U/P(€)
品番YH 190	01	910×1,820	442
Vertical piled	02	955×1,910	592
品番YH 191	01	910×1,820	442
Horizontal piled	02	955×1,910	592

Flame Retardant Product Different and special sizes available.



## Kurotake (Half Cut)



Bamboo Width 24~27mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 039	01	910×1,820	280
Vertical piled	02	955×1,910	310
品番YH 040	01	910×1,820	280
Horizontal piled	02	955×1,910	310

Different and special sizes available.

Bamboo Width 24~27mm Flame retardant veneer 4mm		Width×height/mm	Flame Retardant Product U/P(€)
品番YH 198	01	910×1,820	542
Vertical piled	02	955×1,910	675
品番YH 199	01	910×1,820	542
Horizontal piled	02	955×1,910	675

Flame Retardant Product Different and special sizes available.




## Toratake (Half Cut)



Bamboo Width 21~24mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 041	01	910×1,820	280
Vertical piled	02	955×1,910	320
品番YH 042	01	910×1,820	280
Horizontal piled	02	955×1,910	320

Different and special sizes available.






### Somesusu (Half Cut)



Bamboo Width 18mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 043	01	910×1,820	500
Vertical piled	02	955×1,910	550
品番YH 044	01	910×1,820	500
Horizontal piled	02	955×1,910	550

Dyed Bamboo

Different and special sizes available.



### Somesusu (Half Cut)



Bamboo Width 27~30mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 045	01	910×1,820	409
Vertical piled	02	955×1,910	442
品番YH 046	01	910×1,820	409
Horizontal piled	02	955×1,910	442

Dyed Bamboo

Different and special sizes available.




### Somesusu Bokashi (Half Cut)



Bamboo Width 27~30mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 047	01	910×1,820	484
Vertical piled	02	955×1,910	517
品番YH 048	01	910×1,820	484
Horizontal piled	02	955×1,910	517

Dyed Bamboo

Different and special sizes available.




### Koshoku (Half Cut)



Bamboo Width 18mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 051	01	910×1,820	500
Vertical piled	02	955×1,910	550
品番YH 052	01	910×1,820	500
Horizontal piled	02	955×1,910	550

Dyed Bamboo

Different and special sizes available.




### Koshoku (Half Cut)



Bamboo Width 27~30mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 053	01	910×1,820	442
Vertical piled	02	955×1,910	467
品番YH 054	01	910×1,820	442
Horizontal piled	02	955×1,910	467

Dyed Bamboo

Different and special sizes available.



### Someao (Half Cut)



Bamboo Width 27~30mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 065	01	910×1,820	442
Vertical piled	02	955×1,910	467
品番YH 066	01	910×1,820	442
Horizontal piled	02	955×1,910	467


Dyed Bamboo

Different and special sizes available.



■Koshoku (Half Cut) YH-051/052 p.46





### Somekuro (Half Cut)



Bamboo Width 27~30mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 067	01	910×1,820	442
Vertical piled	02	955×1,910	467
品番YH 068	01	910×1,820	442
Horizontal piled	02	955×1,910	467

**Dyed Bamboo**

Different and special sizes available.



### Metake (Half Cut)



Bamboo Width 15mm Veneer 2.5mm		Width×height/mm	U/P(€)
品番YH 057	01	910×1,820	300
Vertical piled	02	955×1,910	333
品番YH 058	01	910×1,820	300
Horizontal piled	02	955×1,910	333

Different and special sizes available.




### Shiratake (Half Cut)



Bamboo Width 60mm Veneer 6.5mm		Width×height/mm	U/P(€)
品番YH 059	01	910×1,820	600
Vertical piled	02	955×1,910	710
品番YH 060	01	910×1,820	600
Horizontal piled	02	955×1,910	710

Different and special sizes available.



### Shinsabi (Half Cut)



Bamboo Width 27~30mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 061	01	910×1,820	467
Vertical piled	02	955×1,910	528
品番YH 062	01	910×1,820	467
Horizontal piled	02	955×1,910	528

Different and special sizes available.



### Sabi (Half Cut)



Bamboo Width 33~36mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 063	01	910×1,820	961
Vertical piled	02	955×1,910	1,008
品番YH 064	01	910×1,820	961
Horizontal piled	02	955×1,910	1,008

Different and special sizes available.



### Monchiku (Half Cut)




Bamboo Width 36~39mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 049	01	910×1,820	512
Vertical piled	02	955×1,910	559
品番YH 050	01	910×1,820	512
Horizontal piled	02	955×1,910	559

Different and special sizes available.



■Somesusu (Half Cut) YH-044 p.46






**Kurotake (Half Cut) Slanting Pasted**



Bamboo Width 24~27mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 163	01	910×1,820	559
Slanting Pasted	02	955×1,910	659

Different and special sizes available.



**Toratake (Half Cut) Slanting Pasted**



Bamboo Width 24~27mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 164	01	910×1,820	559
Slanting Pasted	02	955×1,910	659

Different and special sizes available.




**Sarashi (Half Cut) Slanting Pasted**



Bamboo Width 27~30mm Veneer 4mm		Width×height/mm	U/P(€)
品番YH 165	01	910×1,820	559
Slanting Pasted	02	955×1,910	659

Different and special sizes available.



**Sarashi (Hishigi)**



Veneer 5mm		Width×height/mm	U/P(€)
品番YH 166	01	910×1,820	700
Vertical piled	02	955×1,910	830
品番YH 167	01	910×1,820	700
Horizontal piled	02	955×1,910	830

Different and special sizes available.



**Toratake (Hishigi)**



Veneer 5.5mm		Width×height/mm	U/P(€)
品番YH 168	01	910×1,820	890
Vertical piled	02	955×1,910	980
品番YH 169	01	910×1,820	890
Horizontal piled	02	955×1,910	980

Different and special sizes available.




**Monchiku (Hishigi)**




Veneer 5.5mm		Width×height/mm	U/P(€)
品番YH 170	01	910×1,820	800
Vertical piled	02	955×1,910	890
品番YH 171	01	910×1,820	890
Horizontal piled	02	955×1,910	980

Different and special sizes available.

■ Toratake (Half Cut) Slanting Pasted YH-164 p.48







Sarashi (Tokusa)



品番YH	Width×height/mm	U/P(€)	Bamboo Width 37.5mm Veneer 5.5mm
069			
01	303×1,820	610	

Different and special sizes available.



Zumen (Tokusa)



品番YH	Width×height/mm	U/P(€)	Bamboo Width 37.5mm Veneer 5.5mm
070			
01	303×1,820	734	

Different and special sizes available.



Sabi (Tokusa)



品番YH	Width×height/mm	U/P(€)	Bamboo Width 37.5mm Veneer 5.5mm
071			
01	303×1,820	600	

Different and special sizes available.




Tankachiku-menkawa (Tokusa)



品番YH	Width×height/mm	U/P(€)	Bamboo Width 37.5mm Veneer 5.5mm
072			
01	303×1,820	775	

Smoked Bamboo

Different and special sizes available.



Yakitake (Tokusa)



品番YH	Width×height/mm	U/P(€)	Bamboo Width 37.5mm Veneer 5.5mm
073			
01	303×1,820	830	

Different and special sizes available.



■ Sabi (Tokusa) YH-071 p.49





### Tenshin (White Thread)



品番YH 075	Width×height/mm	U/P(€)	
01	910×1,820	45	Veneer 2.5mm
02	955×1,910	56	
03	1,000×2,000	93	
04	910×2,730	202	
05	1,210×2,420	592	

Different and special sizes available.



### Tenshin (Nylon)



品番YH 077	Width×height/mm	U/P(€)	
01	910×1,820	47	Veneer 2.5mm
02	955×1,910	60	
03	910×2,730	217	

Different and special sizes available.



### Tenshin-Shimaami



品番YH 078	Width×height/mm	U/P(€)	
01	910×1,820	56	Veneer 2.5mm
02	955×1,910	69	
03	1,000×2,000	110	
04	910×2,730	280	


Different and special sizes available.



### Tenshin-Hyotan



品番YH 080	Width×height/mm	U/P(€)	
01	910×1,820	94	Veneer 2.5mm




### Tenshin-Tanka



品番YH 081	Width×height/mm	U/P(€)	
01	910×1,820	50	Veneer 2.5mm
02	955×1,910	63	
03	1,000×2,000	234	
04	910×2,730	280	
05	1,210×2,420	592	

Different and special sizes available.

Smoked Reed



YH-082 Yajirobe Vertical piled

### Yajirobe Vertical piled



品番YH 082	Width×height/mm	U/P(€)	
01	910×1,820	110	Veneer 4mm
02	955×1,910	130	
03	1,000×2,000	160	

Different and special sizes available.

Smoked Bamboo

### Yajirobe Horizontal piled



品番YH 083	Width×height/mm	U/P(€)	
01	910×1,820	110	Veneer 4mm
02	955×1,910	130	
03	1,000×2,000	155	
04	910×2,730	375	
05	1,210×2,420	684	

Different and special sizes available.

Smoked Bamboo



■ Tenshin (White Thread) YH-075 p.50






### Kawatsukiyoshi



品番 YH 084	Width×height/mm	U/P(€)	
01	910×1,820	110	Veneer 2.5mm
02	955×1,910	117	
03	1,000×2,000	187	
04	910×2,730	310	
05	1,210×2,420	775	

Different and special sizes available.




### Barabushi



品番 YH 085	Width×height/mm	U/P(€)	
01	910×1,820	50	Veneer 2.5mm
03	1,000×2,000	225	
04	910×2,730	225	
05	1,210×2,420	775	

Different and special sizes available.




### Daijin



品番 YH 086	Width×height/mm	U/P(€)	
01	910×1,820	48	Veneer 2.5mm
02	955×1,910	60	

Different and special sizes available.



### Chiribushi



品番 YH 087	Width×height/mm	U/P(€)	
01	910×1,820	45	Veneer 2.5mm
02	955×1,910	58	
03	910×2,730	210	

Different and special sizes available.



### Kurosu (White)



品番 YH 088	Width×height/mm	U/P(€)	
01	910×1820	47	Veneer 2.5mm
02	955×1910	59	

Different and special sizes available.




### Kurosu (Yellow)



品番 YH 089	Width×height/mm	U/P(€)	
01	910×1,820	47	Veneer 2.5mm
02	955×1,910	59	

Different and special sizes available.



### Baidare



品番 YH 172	Width×height/mm	U/P(€)	
01	910×1,820	59	Veneer 2.5mm

Different and special sizes available.



■ Barabushi YH-085 p.51





### Gamashin (Half Cut)



品番YH 090	Width×height/mm	U/P(€)	
01	910×1,820	81	Veneer 2.5mm
02	955×1,910	94	
03	1,000×2,000	157	
04	910×2,730	287	

Different and special sizes available.

品番YH 192	Width×height/mm	Flame Retardant Product U/P(€)	
01	910×1,820	242	Flame Retardant Veneer 4mm
02	955×1,910	367	
03	1,000×2,000	434	
04	910×2,730	600	

Flame Retardant Product

Different and special sizes available.



### Gamashin



品番YH 091	Width×height/mm	U/P(€)	
01	910×1,820	130	Veneer 2.5mm
02	955×1,910	150	
03	1,000×2,000	190	
04	910×2,730	310	

Different and special sizes available.




### Gamashin Oil Stain Painted



品番YH 176	Width×height/mm	U/P(€)	
01	910×1,820	192	Veneer 2.5mm
02	955×1,910	209	
03	1,000×2,000	250	
04	910×2,730	442	

Different and special sizes available.



### Gamashin Persimmon Tannin Painted



品番YH 173	Width×height/mm	U/P(€)	
01	910×1,820	234	Veneer 2.5mm
02	955×1,910	250	
03	1,000×2,000	292	
04	910×2,730	475	

Different and special sizes available.



### Yamayoshi



品番YH 092	Width×height/mm	U/P(€)	
01	910×1,820	100	Veneer 2.5mm
02	955×1,910	110	
03	910×2,730	290	

Different and special sizes available.



### Yamayoshi (Half Cut)



品番YH 174	Width×height/mm	U/P(€)	
01	910×1,820	110	Veneer 2.5mm
02	955×1,910	130	
03	910×2,730	320	

Different and special sizes available.



■ Gamashin - Persimmon Tannin Painted YH-173 p.52






### Someyamayoshi



品番 YH	Width×height/mm	U/P(€)	
175			
01	910×1,820	140	Veneer 2.5mm
02	955×1,910	153	
03	910×2,730	375	
05	1,210×2,420	1,750	

Dyed Reed

Different and special sizes available.




### Gamaha



品番 YH	Width×height/mm	U/P(€)	
093			
01	910×1,820	584	Veneer 2.5mm
02	955×1,910	630	
03	1,000×2,000	750	
04	910×2,730	1,084	
05	1,210×2,420	1,750	

Different and special sizes available.



### Maruhagi



品番 YH	Width×height/mm	U/P(€)	
094			
01	910×1,820	67	Veneer 2.5mm
02	955×1,910	80	
03	1,000×2,000	125	
04	910×2,730	217	
05	1,210×2,420	625	

Different and special sizes available.



### Maruhagi (Red Thread)



品番 YH	Width×height/mm	U/P(€)	
095			
01	910×1,820	67	Veneer 2.5mm
02	955×1,910	80	
03	1,000×2,000	125	
04	910×2,730	217	
05	1,210×2,420	625	

Different and special sizes available.



### Maruhagi (Half Cut)



品番 YH	Width×height/mm	U/P(€)	
096			
01	910×1,820	60	Veneer 2.5mm
02	955×1,910	72	
03	1,000×2,000	125	
04	910×2,730	218	
05	1,210×2,420	625	

Different and special sizes available.



### Kakuhagi



品番 YH	Width×height/mm	U/P(€)	
097			
01	910×1,820	97	Veneer 2.5mm
02	955×1,910	110	
03	1,000×2,000	155	
04	910×2,730	234	
05	1,210×2,420	625	

Different and special sizes available.



### Koryan (Reed)



品番 YH	Width×height/mm	U/P(€)	
098			
01	910×1,820	92	Veneer 2.5mm




### Yoshi Yabane A (Reed)



品番 YH	Width×height/mm	U/P(€)	
100			
01	910×1,820	50	Veneer 2.5mm
02	955×1,910	109	
03	1,000×2,000	155	
04	910×2,730	250	
05	1,210×2,420	560	

Different and special sizes available.



### Yoshi Yabane B (Reed)



品番 YH	Width×height/mm	U/P(€)	
200			
01	910×1,820	50	Veneer 2.5mm
02	955×1,910	110	





Yoshi Ichimatsu (Reed)



品番YH 101	Width×height/mm	U/P(€)	
01	910×1,820	56	Veneer 2.5mm
02	955×1,910	69	



Kuro Yabane (Reed)



品番YH 104	Width×height/mm	U/P(€)	
01	910×1,820	187	Veneer 2.5mm
02	955×1,910	199	
03	1,000×2,000	233	
04	910×2,730	496	

Different and special sizes available.




Takeshiromi (Bamboo)



品番YH 105	Width×height/mm	U/P(€)	
01	910×1,820	109	Veneer 2.5mm
02	955×1,910	121	
03	1,000×2,000	217	
04	910×2,730	375	
05	1,210×2,420	775	

Different and special sizes available.




Yakitake (Bamboo)



品番YH 106	Width×height/mm	U/P(€)	
01	910×1,820	113	Veneer 2.5mm
02	955×1,910	125	
03	1,000×2,000	200	
04	910×2,730	467	

Different and special sizes available.



Yakisusu (Bamboo)



品番YH 217	Width×height/mm	U/P(€)	
01	910×1,820	100	Veneer 2.5mm
02	955×1,910	113	

■ Takeshiromi (Bamboo) YH-105 p.54



■ Yakitake (Bamboo) YH-106 p.55






**Kyochatake (Bamboo)** Oil Stain Painted


品番YH 107	Width×height/mm	U/P(€)	
01	910×1,820	140	Veneer 2.5mm
02	955×1,910	171	

Different and special sizes available.

**Sometake Yabane (Bamboo)**

品番YH 108	Width×height/mm	U/P(€)	
01	910×1,820	218	Veneer 2.5mm
02	955×1,910	289	

Different and special sizes available.


**Sometake Yabane (Bamboo)**

Bamboo Width 15mm



品番YH 109	Width×height/mm	U/P(€)	
01	910×1,820	420	Veneer 2.5mm
02	955×1,910	550	

Different and special sizes available.

**Sometake Yabane (Bamboo)**  
Bamboo Width 15mm


品番YH 111	Width×height/mm	U/P(€)	
01	910×1,820	400	Veneer 2.5mm
02	955×1,910	540	

Different and special sizes available.

**Sarashi Yabane (Bamboo)**  
Bamboo Width 9mm


品番YH 113	Width×height/mm	U/P(€)	
01	300×300	150	

Different and special sizes available.

**Sabi Yabane (Bamboo)**  
Bamboo Width 9mm

品番YH 114	Width×height/mm	U/P(€)	
01	300×300	150	

Different and special sizes available.

**Honsusu Yabane (Bamboo)**  
Bamboo Width 9mm

品番YH 115	Width×height/mm	U/P(€)	
01	300×300	320	


Different and special sizes available.







■ Sugi Yabane (Cedar) Cedar Thickness 0.6mm YH-118 p.56



**Sugi Nanameichimatu (Cedar)**  
Cedar Thickness 0.3mm

品番YH 116	Width×height/mm	U/P(€)	
01	910×1,820	90	Veneer 2.5mm
02	955×1,910	130	
03	910×2,730	450	


Different and special sizes available.

**Sugi Nanameichimatu (Cedar)**  
Cedar Thickness 0.2mm

品番YH 193	Width×height/mm	Non-Combustible Product U/P(€)	
01	910×1,820	550	VS Board 6mm
02	1,000×2,000	710	
03	910×2,420	840	

**Non-Combustible Product**

Different and special sizes available.



**Sugi Ichimatu (Cedar)**  
Cedar Thickness 0.3mm

品番YH 117	Width×height/mm	U/P(€)	
01	910×1,820	120	Veneer 2.5mm
02	955×1,910	170	


Different and special sizes available.

**Sugi Ichimatu (Cedar)**  
Cedar Thickness 0.2mm

品番YH 194	Width×height/mm	Non-Combustible Product U/P(€)	
01	910×1,820	550	VS Board 6mm
02	1,000×2,000	710	
03	910×2,420	840	

**Non-Combustible Product**

Different and special sizes available.



**Sugi Yabane (Cedar)**  
Cedar Thickness 0.6mm

品番YH 118	Thickness /mm	Width×height /mm	U/P(€)	
01	0.6	910×1,820	150	Veneer 4mm
02	0.6	955×1,910	160	
03	0.6	910×2,730	680	

Different and special sizes available.


**Sugi Yabane (Cedar)**  
Cedar Thickness 0.2mm

品番YH 195	Width×height/mm	Non-Combustible Product U/P(€)	
01	910×1,820	590	VS Board 6mm
02	1,000×2,000	750	
03	910×2,420	900	

**Non-Combustible Product**

Different and special sizes available.




**Sugi Kikko (Cedar)**

Cedar Thickness 0.3mm



品番YH	Width×height/mm	U/P(€)	
119			
01	910×1,820	380	Veneer 2.5mm
02	955×1,910	450	
03	910×2,730	1,175	

Different and special sizes available.


**Sugi Kagome (Cedar)**

Cedar Thickness 0.8mm



品番YH	Width×height/mm	U/P(€)	
120			
01	910×1,820	410	Veneer 4mm
02	955×1,910	534	

Different and special sizes available.


**Sugi Ishidatami (Cedar)**

Cedar Thickness 0.6mm



品番YH	Width×height/mm	U/P(€)	
121			
01	910×1,820	234	Veneer 2.5mm
02	955×1,910	290	

Different and special sizes available.


**Sawara Yabane (Cypress)**

Hand Shave



品番YH	Width×height/mm	U/P(€)	
126			
01	910×1,820	651	Veneer 5.5mm
02	955×1,910	775	

Different and special sizes available.

**Sawara Seiitimat (Cypress)**

Hand Shave



品番YH	Width×height/mm	U/P(€)	
127			
01	910×1,820	651	Veneer 5.5mm
02	955×1,910	775	

Different and special sizes available.


**Sawara Kagome (Cypress)**

Hand Shave



品番YH	Width×height/mm	U/P(€)	
128			
01	910×1,820	775	Veneer 5.5mm
02	955×1,910	900	

Different and special sizes available.

**Sawara Oyakoyabane (Cypress)**

Hand Shave



品番YH	Width×height/mm	U/P(€)	
129			
01	910×1,820	810	Veneer 5.5mm
02	955×1,910	960	

Different and special sizes available.

**Sawara Ishidatami (Cypress)**

Hand Shave



品番YH	Width×height/mm	U/P(€)	
130			
01	910×1,820	670	Veneer 5.5mm
02	955×1,910	790	

Different and special sizes available.




■ Sugi Kikko (Cedar) Cedar Thickness 0.3mm  
YH-119 p.57





Kurobe Yabane (Black Cedar)			
Hand Shave			
品番YH	Width×height/mm	U/P(€)	
131			
01	910×1,820	651	Veneer 5.5mm
02	955×1,910	775	

Different and special sizes available.



Kurobe Seiichimatsu (Black Cedar)			
Hand Shave			
品番YH	Width×height/mm	U/P(€)	
132			
01	910×1,820	651	Veneer 5.5mm
02	955×1,910	775	

Different and special sizes available.



Kurobe Kagome (Black Cedar)			
Hand Shave			
品番YH	Width×height/mm	U/P(€)	
133			
01	910×1,820	775	Veneer 5.5mm
02	955×1,910	900	

Different and special sizes available.




■ Kurobe Yabane (Black Cedar) Hand Shave YH-131 p.58



Kurobe Ishidatami (Black Cedar)			
Hand Shave			
品番YH	Width×height/mm	U/P(€)	
134			
01	910×1,820	720	Veneer 5.5mm
02	955×1,910	850	

Different and special sizes available.




Sugikawa Yabane (Cedar Skin)			
Hand Shave			
品番YH	Width×height/mm	U/P(€)	
135			
01	910×1,820	1,030	Veneer 5.5mm
02	955×1,910	1,240	

Different and special sizes available.



## Curved Wicker Works

Curved surface wicker work products are also available.



## Joint Wicker Works


When it is difficult to bring large wicker works for spacious ceilings, we will bring small cut wicker works and join them together after pasting them on the ceilings. Construction in countries besides Japan are also available, so please contact us.




Whole wicker work



Cut



Packaged  
and delivered



Site work



Completed



■ Sawara Yabane (Cypress) Hand Shave YH-126 p.57



間  
接  
照  
明  
天  
井

光  
天  
井


## Luminous Ceiling

Luminous ceiling signifies indirect lightening with a designed bamboo cover on ceilings and walls.  
We use many types of Kyoto traditional weaving techniques.


■ Sarashi Yatara YI-017-02 p.63

### Structure of Luminous Ceilings


Front



Back / Warlon Plate Pasted (Thickness 0.3mm)



Wood Pasted on Back (Additional Fee)



Different and special sizes available.  
Available in various requests.






### Yotsume

品番YI		U/P(m <sup>2</sup> )
001		
01	Non-Pasted	440
02	Japanese Paper Pasted	510
03	Warlon Plate Pasted	610


Bamboo Width 12mm  
Different and special sizes available.



### Yotsume

品番YI		U/P(m <sup>2</sup> )
002		
01	Non-Pasted	520
02	Japanese Paper Pasted	590
03	Warlon Plate Pasted	700


**Dyed Bamboo** Bamboo Width 12mm  
Different and special sizes available.



### Yotsume

品番YI		U/P(m <sup>2</sup> )
003		
01	Non-Pasted	710
02	Japanese Paper Pasted	770
03	Warlon Plate Pasted	880


Bamboo Width 12mm  
Different and special sizes available.



### Sho Yotsume

品番YI		U/P(m <sup>2</sup> )
005		
01	Non-Pasted	920
02	Japanese Paper Pasted	1,010
03	Warlon Plate Pasted	1,100

Bamboo Width 9mm  
Different and special sizes available.



### Sho Yotsume

品番YI		U/P(m <sup>2</sup> )
006		
01	Non-Pasted	1,010
02	Japanese Paper Pasted	1,100
03	Warlon Plate Pasted	1,200

**Dyed Bamboo** Bamboo Width 9mm  
Different and special sizes available.



### Oyako Yotsume

品番YI		U/P(m <sup>2</sup> )
007		
01	Non-Pasted	970
02	Japanese Paper Pasted	1,030
03	Warlon Plate Pasted	1,200

Bamboo Width 9mm and 6mm  
Different and special sizes available.



### Oyako Yotsume

品番YI		U/P(m <sup>2</sup> )
008		
01	Non-Pasted	1,070
02	Japanese Paper Pasted	1,140
03	Warlon Plate Pasted	1,180


**Dyed Bamboo** Bamboo Width 9mm and 6mm  
Different and special sizes available.



### Mutsume

品番YI		U/P(m <sup>2</sup> )
009		
01	Non-Pasted	440
02	Japanese Paper Pasted	510
03	Warlon Plate Pasted	620

Bamboo Width 12mm  
Different and special sizes available.




### Mutsume

品番YI		U/P(m <sup>2</sup> )
010		
01	Non-Pasted	520
02	Japanese Paper Pasted	590
03	Warlon Plate Pasted	690

**Dyed Bamboo** Bamboo Width 12mm  
Different and special sizes available.






Mutsume

品番YI 011		U/P(m <sup>2</sup> )
01	Non-Pasted	850
02	Japanese Paper Pasted	930
03	Warlon Plate Pasted	1,060

Bamboo Width 9mm  
Different and special sizes available.




Mutsume

品番YI 012		U/P(m <sup>2</sup> )
01	Non-Pasted	930
02	Japanese Paper Pasted	1,010
03	Warlon Plate Pasted	1,140

**Dyed Bamboo**

Bamboo Width 9mm  
Different and special sizes available.



Mutsume

品番YI 013		U/P(m <sup>2</sup> )
01	Non-Pasted	1,150
02	Japanese Paper Pasted	1,240
03	Warlon Plate Pasted	1,330



Bamboo Width 9mm  
Different and special sizes available.

■ Mutsume (Dyed Bamboo) YI-012-03 p.62






## Structure of Luminous Ceiling (Yatara)




Sarashi Yatara

品番 YI 017		U/P(m <sup>2</sup> )
01	Non-Pasted	850
02	Warlon Plate Pasted	1,010
03	Non-Pasted with Frame	1,190
04	Warlon Plate Pasted with Frame	1,430



Montiku Yatara


品番 YI 019		U/P(m <sup>2</sup> )
01	Non-Pasted	980
02	Warlon Plate Pasted	1,170
03	Non-Pasted with Frame	1,300
04	Warlon Plate Pasted with Frame	1,560



Somesus Yatara

品番 YI 020		U/P(m <sup>2</sup> )
01	Non-Pasted	1,040
02	Warlon Plate Pasted	1,170
03	Non-Pasted with Frame	1,330
04	Warlon Plate Pasted with Frame	1,580

Dyed Bamboo



Koshoku Yatara

品番 YI 021		U/P(m <sup>2</sup> )
01	Non-Pasted	1,040
02	Warlon Plate Pasted	1,170
03	Non-Pasted with Frame	1,330
04	Warlon Plate Pasted with Frame	1,580


Dyed Bamboo




■ Sarashi Yatara YI-017 p.63



## Structure of Luminous Ceiling (Takekawa)




Non-Framed (Front)



Non-Framed (Back)

Available in various requests.



Framed



Rinko

品番 YI 023		U/P(m <sup>2</sup> )
01	Non-Framed	840
02	Framed	2,950

Different and special sizes available.



Hishi Yotsume

品番 YI 024		U/P(m <sup>2</sup> )
01	Non-Framed	920
02	Framed	3,030


Different and special sizes available.



Sashi Mutsume

品番 YI 025		U/P(m <sup>2</sup> )
01	Non-Framed	1,200
02	Framed	3,310


Different and special sizes available.



Tessen

品番 YI 026		U/P(m <sup>2</sup> )
01	Non-Framed	1,390
02	Framed	3,500


Different and special sizes available.



Asanoha

品番 YI 027		U/P(m <sup>2</sup> )
01	Non-Framed	1,200
02	Framed	3,310

Different and special sizes available.



Yatsume

品番 YI 028		U/P(m <sup>2</sup> )
01	Non-Framed	1,110
02	Framed	3,220

Different and special sizes available.






■ Luminous Ceiling (Special order product) p.60~p.64



■ Oyako Yotsume YH007 p.61




## Hidden Wooden Frame Type



Shitajimado Reed

品番YK 001	Width×height/mm	U/P(€)
01	303×394	130
02	455×606	170
03	606×757	220

Different and special sizes available.



Shitajimado Reed

品番YK 002	Width×height/mm	U/P(€)
01	303×394	130
02	455×606	170
03	606×757	220

Different and special sizes available.



Shitajimado Bamboo

品番YK 003	Width×height/mm	U/P(€)
01	303×394	130
02	455×606	180
03	606×757	250

Different and special sizes available.



Shitajimado Bamboo

品番YK 004	Width×height/mm	U/P(€)
01	303×394	100
02	455×606	140
03	606×757	170


Different and special sizes available.



Shitajimado Bamboo

品番YK 005	Width×height/mm	U/P(€)
01	303×394	130
02	455×606	180
03	606×757	220

Different and special sizes available.



Shitajimado Bamboo

品番YK 006	Width×height/mm	U/P(€)
01	303×394	130
02	455×606	160
03	606×757	200


Different and special sizes available.



Shitajimado Bamboo

品番YK 007	Width×height/mm	U/P(€)
01	303×394	120
02	455×606	160
03	606×757	200

Different and special sizes available.




Shitajimado Bamboo

品番YK 008	Width×height/mm	U/P(€)
01	303×394	150
02	455×606	200
03	606×757	290

Different and special sizes available.





Shitajimado Bush Clover

品番YK 009	Width×height/mm	U/P(€)
01	303×394	130
02	455×606	170
03	606×757	220


Different and special sizes available.



Shitajimado Bamboo

品番YK 010	Width×height/mm	U/P(€)
01	303×394	150
02	455×606	220
03	606×757	310


Different and special sizes available.



Shitajimado Bamboo

品番YK 011	Width×height/mm	U/P(€)
01	303×394	180
02	455×606	240
03	606×757	310

Different and special sizes available.



Shitajimado Bamboo

品番YK 012	Width×height/mm	U/P(€)
01	303×394	280
02	455×606	370
03	606×757	490

Different and special sizes available.



Shitajimarumado Bamboo

品番YK 013	Diameter/mm	U/P(€)
01	φ 606	260
02	φ 757	360
03	φ 909	490

Different and special sizes available.



Shitajimarumado Bamboo

品番YK 014	Diameter/mm	U/P(€)
01	φ 606	210
02	φ 757	260
03	φ 909	390

Different and special sizes available.



Shitajimarumado Bamboo

品番YK 015	Diameter/mm	U/P(€)
01	φ 606	310
02	φ 757	390
03	φ 909	510

Different and special sizes available.



Shitajimarumado Bamboo

品番YK 016	Diameter/mm	U/P(€)
01	φ 606	250
02	φ 757	300
03	φ 909	410

Different and special sizes available.



Shitajimarumado Bamboo

品番YK 017	Diameter/mm	U/P(€)
01	φ 606	340
02	φ 757	440
03	φ 909	550

Different and special sizes available.



Kakumado Bamboo

品番YK 018	Width×height/mm	U/P(€)
01	455×606	380
02	606×757	420

Different and special sizes available.



Marumado Bamboo

品番YK 019	Diameter/mm	U/P(€)
01	φ 606	380
02	φ 757 / 5 inner bars	420
03	φ 757 / 7 inner bars	520

Different and special sizes available.

Kakumado (Pine tree design)  
Bamboo

品番YK 020	Width×height/mm	U/P(€)
01	303×545	180
02	455×606	180
03	606×757	220
04	757×910	360

Different and special sizes available.





**Kakumado (Plum tree design)**  
Bamboo

品番YK	Width×height/mm	U/P(€)
021		
01	455×606	200
02	606×757	250
03	757×910	390

Different and special sizes available.



**Marumado** Bamboo

品番YK	Diameter/mm	U/P(€)
022		
01	φ 636	380
02	φ 727	440
03	φ 909	720


Different and special sizes available.



**Marumado (Plum tree design)**  
Bamboo

品番YK	Diameter/mm	U/P(€)
023		
01	φ 636	200
02	φ 727	220
03	φ 909	360

Different and special sizes available.



**Marumado (Plum tree design)**  
Bamboo

品番YK	Diameter/mm	U/P(€)
024		
01	φ 636	220
02	φ 727	250
03	φ 909	390

Different and special sizes available.



Shitajimado (Bamboo) YK-007 p.66

## Sabi Bamboo Frame Type



**Kakumado** Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
025			
01	363×606	490	Frame Width 48mm

Different and special sizes available.



**Kakumado (Plum tree design)**  
Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
026			
01	363×606	490	Frame Width 48mm

Different and special sizes available.



**Kakumado** Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
027			
01	363×667	500	Frame Width 48mm

Different and special sizes available.




**Kakumado** Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
028			
01	363×667	540	Frame Width 48mm

Different and special sizes available.





**Kakumado (Plum tree design)**  
Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
029			
01	606×757	550	Frame Width 48mm
02	757×909	990	


Different and special sizes available.



**Kakumado (Pine tree design)**  
Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
030			
01	606×757	550	Frame Width 48mm
02	757×909	990	

Different and special sizes available.



**Kakumado (Lucky mallet design)**  
Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
031			
01	606×757	600	Frame Width 48mm
02	757×909	1,050	

Different and special sizes available.



**Kakumado** Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
032			
01	606×757	690	Frame Width 48mm
02	757×909	1,200	

Different and special sizes available.



**Kakumado (Ivy design)**  
Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
033			
01	606×757	550	Frame Width 48mm

Different and special sizes available.



**Kakumado (Plum tree design)**  
Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
034			
01	606×757	550	Frame Width 48mm

Different and special sizes available.



**Kakumado (Pine tree design)**  
Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
035			
01	606×757	550	Frame Width 48mm


Different and special sizes available.



**Marumado (Plum tree design)**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
036			
01	φ 606	500	Frame Width 48mm
02	φ 757	570	
03	φ 909	970	

Different and special sizes available.



**Marumado (Lucky mallet design)**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
037			
01	φ 606	500	Frame Width 48mm
02	φ 757	570	
03	φ 909	970	


Different and special sizes available.



**Marumado** Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
038			
01	φ 606	850	Frame Width 48mm
02	φ 757	900	
03	φ 909	2,150	

Different and special sizes available.



**Marumado** Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
039			
01	φ 636	500	Frame Width 48mm
02	φ 727	550	

Different and special sizes available.



**Marumado (Plum tree design)**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
040			
01	φ 636	490	Frame Width 48mm
02	φ 727	540	

Different and special sizes available.





**Marumado (Lucky mallet design)**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
041	φ636	500	Frame Width 48mm
02	φ727	550	

Different and special sizes available.



**Marumado (Plum tree design)**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
01	φ636	920	Frame Width 48mm
02	φ727	990	

Different and special sizes available.



**Marumado**  
(Pine, bamboo and plum tree design)  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
043			
01	φ606	600	Frame Width 48~54 mm
02	φ757	720	
03	φ909	1,000	

Different and special sizes available.



**Marumado (Plum tree design)**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
044			
01	φ606	500	Frame Width 48~54 mm
02	φ757	610	
03	φ909	830	

Different and special sizes available.



**Marumado (Plum tree design)**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
045			
01	φ606	500	Frame Width 48~54 mm
02	φ757	610	
03	φ909	830	


Different and special sizes available.



**Shitajimarumado**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
046			
01	φ606	570	Frame Width 48~54 mm
02	φ757	680	
03	φ909	980	

Different and special sizes available.



**Shitajimarumado**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
047			
01	φ606	630	Frame Width 48~54 mm
02	φ757	780	
03	φ909	1,090	

Different and special sizes available.



**Shitajimarumado**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
048			
01	φ606	550	Frame Width 48~54 mm
02	φ757	670	
03	φ909	960	

Different and special sizes available.



**Shitajimarumado**  
Bamboo

品番YK	Diameter /mm	U/P(€)	Remark
049			
01	φ606	500	Frame Width 48~54 mm
02	φ757	640	
03	φ909	900	

Different and special sizes available.



**Kakumado (Pine tree design)**  
Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
050			
01	455×606	480	Frame Width 48~54 mm
02	606×757	540	
03	757×909	810	

Different and special sizes available.



**Kakumado (Pine tree design)**  
Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
051			
01	455×606	480	Frame Width 48~54 mm
02	606×757	540	
03	757×909	810	

Different and special sizes available.




**Shitajimado** Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
052			
01	455×606	520	Frame Width 48~54 mm
02	606×757	610	
03	757×909	900	

Different and special sizes available.






Shitajimado Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
053			
01	455×606	610	Frame Width 48~54 mm
02	606×757	670	
03	757×909	1,000	

Different and special sizes available.



Shitajimado Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
054			
01	455×606	490	Frame Width 48~54 mm
02	606×757	570	
03	757×909	870	


Different and special sizes available.



Shitajimado Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
055			
01	455×606	490	Frame Width 48~54 mm
02	606×757	550	
03	757×909	850	

Different and special sizes available.



Mado (Gourd shaped design) Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
056			
01	600×900	710	Frame Width 48mm


Different and special sizes available.



Mado (Comb shaped design) Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
057			
01	1060×303	1,050	Frame Width 48mm

Different and special sizes available.



Marumado Bamboo

品番YK	Diameter /mm	Frame Width /mm	U/P(€)
058			
01	φ 606	48	340
02	φ 606	54	420
03	φ 606	60	600
04	φ 757	48	390
05	φ 757	54	450
06	φ 757	60	660
07	φ 909	48	500
08	φ 909	54	630
09	φ 909	60	750

Different and special sizes available.



Kakumado Bamboo

品番YK	Width×height /mm	Frame Width /mm	U/P(€)
059			
01	455×606	48	350
02	455×606	54	350
03	606×757	48	380
04	606×757	54	380
05	757×909	48	500
06	757×909	54	500


Different and special sizes available.



Marumado with glass Bamboo

品番YK	窓形状	Diameter・Width×height /mm	U/P(€)	Remark
060				
01	「丸窓」	φ 455	950	Frame Width 70mm
02	「丸窓」	φ 606	1,010	
03	「丸窓」	φ 757	1,110	
04	「角窓」	455×606	980	
05	「角窓」	606×757	1,080	

Different and special sizes available.



Marumado Bamboo and Wood

品番YK	Diameter /mm	U/P(€)	Remark
106			
01	φ 606	540	Frame Width 48mm
02	φ 757	570	
03	φ 909	1,000	

Different and special sizes available.



Marumado Bamboo and Acrylic

品番YK	Diameter /mm	U/P(€)	Remark
107			
01	φ 606	540	Frame Width 48mm
02	φ 757	570	
03	φ 909	1,000	

Different and special sizes available.



Marumado Bamboo and Acrylic

品番YK	Diameter /mm	U/P(€)	Remark
108			
01	φ 606	540	Frame Width 48mm
02	φ 757	570	
03	φ 909	1,000	

Different and special sizes available.



Marumado with plate Bamboo

品番YK	Width×height /mm	U/P(€)	Remark
136			
01	φ 600	1,410	Frame Width: 102mm
02	φ 750	1,550	Outer Frame: 60×20mm
03	φ 900	1,810	Thickness: 0.45mm

Different and special sizes available.



■Ranma (Bamboo) YK-078 typeA p.74



## Wooden Frame Type



Shitajimado Reed

品番YK 061	Frame Type	Widthxheight /mm	U/P(€)	Remark
01	A	455×606	700	Frame Size 102mm ×15mm  Picture: Frame C
02	A	606×757	800	
03	B	455×606	750	
04	B	606×757	840	
05	C	455×606	760	
06	C	606×757	850	
07	D	455×606	800	
08	D	606×757	880	

Different and special sizes available.



Shitajimado Bamboo

品番YK 062	Frame Type	Widthxheight /mm	U/P(€)	Remark
01	A	455×606	780	Frame Size 102mm ×15mm  Picture: Frame C
02	A	606×757	860	
03	B	455×606	810	
04	B	606×757	900	
05	C	455×606	830	
06	C	606×757	910	
07	D	455×606	860	
08	D	606×757	950	

Different and special sizes available.



Shitajimado Bamboo

品番YK 063	Frame Type	Widthxheight /mm	U/P(€)	Remark
01	A	455×606	800	Frame Size 102mm ×15mm  Picture: Frame D
02	A	606×757	880	
03	B	455×606	830	
04	B	606×757	910	
05	C	455×606	850	
06	C	606×757	930	
07	D	455×606	880	
08	D	606×757	960	

Different and special sizes available.



Shitajimado Bamboo

品番YK 064	Frame Type	Widthxheight /mm	U/P(€)	Remark
01	A	455×606	750	Frame Size 102mm ×15mm  Picture: Frame D
02	A	606×757	810	
03	B	455×606	780	
04	B	606×757	850	
05	C	455×606	800	
06	C	606×757	880	
07	D	455×606	820	
08	D	606×757	910	

Different and special sizes available.



Shitajimado Bamboo

品番YK 065	Frame Type	Widthxheight /mm	U/P(€)	Remark
01	A	455×606	730	Frame Size 102mm ×15mm  Picture: Frame C
02	A	606×757	810	
03	B	455×606	760	
04	B	606×757	850	
05	C	455×606	810	
06	C	606×757	900	
07	D	455×606	850	
08	D	606×757	930	

Different and special sizes available.



Shitajimado Bamboo

品番YK 066	Frame Type	Widthxheight /mm	U/P(€)	Remark
01	A	455×606	950	Frame Size 102mm ×15mm  Picture: Frame C
02	A	606×757	1,070	
03	B	455×606	990	
04	B	606×757	1,110	
05	C	455×606	980	
06	C	606×757	1,100	
07	D	455×606	1,010	
08	D	606×757	1,130	

Different and special sizes available.



Shitajimado Bush Clover

品番YK 067	Frame Type	Widthxheight /mm	U/P(€)	Remark
01	A	455×606	840	Frame Size 102mm ×15mm  Picture: Frame D
02	A	606×757	950	
03	B	455×606	870	
04	B	606×757	990	
05	C	455×606	900	
06	C	606×757	1,020	
07	D	455×606	940	
08	D	606×757	1,050	

Different and special sizes available.



Shitajimado Bamboo

品番YK 068	Frame Type	Widthxheight /mm	U/P(€)	Remark
01	A	455×606	800	Frame Size 102mm ×15mm  Picture: Frame D
02	A	606×757	960	
03	B	455×606	870	
04	B	606×757	1,000	
05	C	455×606	860	
06	C	606×757	990	
07	D	455×606	900	
08	D	606×757	1,020	


Different and special sizes available.





■ Kakumado (Special order product) YK-075 p.74

## Structure of Wooden Frame Type



**Kakumado (Ivy design)**  
Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
069	A	455X606	910	Frame Size 102mm X15mm
02	A	606X757	1,090	
03	B	455X606	950	
04	B	606X757	1,120	
05	C	455X606	960	Picture: Frame C
06	C	606X757	1,100	
07	D	455X606	1,000	
08	D	606X757	1,150	

Different and special sizes available.



**Kakumado (Arabesque design)**  
Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
070	A	455X606	860	Frame Size 102mm X15mm
02	A	606X757	950	
03	B	455X606	900	
04	B	606X757	980	
05	C	455X606	860	Picture: Frame D
06	C	606X757	1,000	
07	D	455X606	900	
08	D	606X757	1,030	


Different and special sizes available.



**Kakumado (Plum tree design)**  
Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
071	A	455X606	860	Frame Size 102mm X15mm
02	A	606X757	950	
03	B	455X606	900	
04	B	606X757	980	
05	C	455X606	860	Picture: Frame B
06	C	606X757	1,000	
07	D	455X606	900	
08	D	606X757	1,030	

Different and special sizes available.




**Kakumado (Pine tree design)**  
Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
072	A	455X606	860	Frame Size 102mm X15mm
02	A	606X757	950	
03	B	455X606	900	
04	B	606X757	980	
05	C	455X606	860	Picture: Frame B
06	C	606X757	1,000	
07	D	455X606	900	
08	D	606X757	1,030	

Different and special sizes available.



## Wooden Frame with Warlon Plate Type



### Shitajimado Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
073	A	455X606	810	
02	A	606X757	910	Frame Size 102mm X15mm
03	B	455X606	850	
04	B	606X757	950	
05	C	455X606	860	Plate Thickness 1.5mm
06	C	606X757	960	
07	D	455X606	900	
08	D	606X757	1,000	Picture: Frame C

Different and special sizes available.

### Shitajimado Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
074	A	455X606	950	
02	A	606X757	1,060	Frame Size 102mm X15mm
03	B	455X606	990	
04	B	606X757	1,100	
05	C	455X606	980	Plate Thickness 1.5mm
06	C	606X757	1,090	
07	D	455X606	1,000	
08	D	606X757	1,120	Picture: Frame C

Different and special sizes available.

### Kakumado (Plum tree design) Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
075	A	455X606	830	
02	A	606X757	920	Frame Size 102mm X15mm
03	B	455X606	860	
04	B	606X757	950	
05	C	455X606	880	Plate Thickness 1.5mm
06	C	606X757	960	
07	D	455X606	910	
08	D	606X757	1,000	Picture: Frame B

Different and special sizes available.


### Kakumado (Pine tree design) Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
076	A	455X606	830	
02	A	606X757	920	Frame Size 102mm X15mm
03	B	455X606	860	
04	B	606X757	950	
05	C	455X606	880	Plate Thickness 1.5mm
06	C	606X757	960	
07	D	455X606	910	
08	D	606X757	1,000	Picture: Frame B

Different and special sizes available.



YK-079



YK-080

### Kakumado Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
077	A	455X606	860	
02	A	606X757	950	Frame Size 102mm X15mm
03	B	455X606	900	
04	B	606X757	980	
05	C	455X606	910	Plate Thickness 1.5mm
06	C	606X757	1,000	
07	D	455X606	950	
08	D	606X757	1,030	Picture: Frame C

Different and special sizes available.

### Ranma Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
078	A	303X909	780	Frame Size 102mm X15mm
02	B	303X909	810	
03	C	303X909	830	
04	D	303X909	860	Picture: Frame B

Different and special sizes available.

### Ranma Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
079	A	909X303	820	
02	A	1,212X303	960	Frame Size 102mm X15mm
03	A	1,515X303	1,110	
04	B	909X303	860	
05	B	1,212X303	1,000	Plate Thickness 1.5mm
06	B	1,515X303	1,150	
07	C	909X303	880	
08	C	1,212X303	1,010	Picture: Frame B
09	C	1,515X303	1,160	
10	D	909X303	910	
11	D	1,212X303	1,050	
12	D	1,515X303	1,200	

Different and special sizes available.

### Ranma Bamboo

品番 YK	Frame Type	Widthxheight /mm	U/P(€)	Remark
080	A	909X303	900	
02	A	1,212X303	1,030	Frame Size 102mm X15mm
03	A	1,515X303	1,220	
04	B	909X303	930	
05	B	1,212X303	1,060	Plate Thickness 1.5mm
06	B	1,515X303	1,250	
07	C	909X303	950	
08	C	1,212X303	1,080	Picture: Frame A
09	C	1,515X303	1,250	
10	D	909X303	980	
11	D	1,212X303	1,130	
12	D	1,515X303	1,330	

Different and special sizes available.



## Used in Various Types of Walls



YK-081



YK-082



YK-083



YK-084



YK-085

## Ranma Bamboo

品番YK	Plate Y/N	Width×height /mm	U/P(€)	Remark
084	Y/N			
01	Y	909×303	1,510	Frame Thickness 70mm
02	N	909×303	1,450	
03	Y	1,212×303	1,650	Outer Frame Thickness 29mm
04	N	1,212×303	1,660	
05	Y	1,515×303	1,750	Plate Thickness 0.5mm
06	N	1,515×303	1,680	

Different and special sizes available.

## Ranma Bamboo

品番YK	Plate Y/N	Width×height /mm	U/P(€)	Remark
081	Y	909×303	1,150	Frame Thickness 70mm
02	N	909×303	1,080	
03	Y	1,212×303	1,210	Outer Frame Thickness 29mm
04	N	1,212×303	1,150	
05	Y	1,515×303	1,350	Plate Thickness 0.5mm
06	N	1,515×303	1,290	

Different and special sizes available.

## Ranma Reed

品番YK	Plate Y/N	Width×height /mm	U/P(€)	Remark
082	Y/N			
01	Y	909×303	1,110	Frame Thickness 70mm
02	N	909×303	1,050	
03	Y	1,212×303	1,260	Outer Frame Thickness 29mm
04	N	1,212×303	1,200	
05	Y	1,515×303	1,330	Plate Thickness 0.5mm
06	N	1,515×303	1,260	

Different and special sizes available.

## Ranma Bamboo


品番YK	Plate Y/N	Width×height /mm	U/P(€)	Remark
083	Y/N			
01	Y	909×303	1,150	Frame Thickness 70mm
02	N	909×303	1,080	
03	Y	1,212×303	1,300	Outer Frame Thickness 29mm
04	N	1,212×303	1,230	
05	Y	1,515×303	1,380	Plate Thickness 0.5mm
06	N	1,515×303	1,310	

Different and special sizes available.

## Ranma Bamboo

品番YK	Plate Y/N	Width×height /mm	U/P(€)	Remark
085	Y/N			
01	Y	909×303	1,280	Frame Thickness 70mm
02	N	909×303	1,210	
03	Y	1,212×303	1,410	Outer Frame Thickness 29mm
04	N	1,212×303	1,350	
05	Y	1,515×303	1,750	Plate Thickness 0.5mm
06	N	1,515×303	1,680	


Different and special sizes available.



## Marumado Bamboo

品番YK	With Warlon Plate Outer Frame Size/mm	U/P(€)	Remark
086			
01	φ300	1,010	Frame Size 102mm ×15mm
02	φ450	1,210	
03	φ600	1,410	Plate Thickness 1.5mm
04	φ750	1,610	
	With Glass Outer Frame Size/mm	U/P(€)	
05	φ300	1,050	Frame Size 102mm ×15mm
06	φ450	1,250	
07	φ600	1,450	
08	φ750	1,660	
	Non Outer Frame Size/mm	U/P(€)	Glass Thickness 2mm
09	φ300	980	
10	φ450	1,180	
11	φ600	1,380	
12	φ750	1,580	

Different and special sizes available.



## Marumado Bamboo

品番YK	With Warlon Plate Outer Frame Size/mm	U/P(€)	Remark
087			
01	φ300	1,010	Frame Size 102mm ×15mm
02	φ450	1,210	
03	φ600	1,410	Plate Thickness 1.5mm
04	φ750	1,610	
	With Glass Outer Frame Size/mm	U/P(€)	
05	φ300	1,050	Frame Size 102mm ×15mm
06	φ450	1,250	
07	φ600	1,450	
08	φ750	1,660	
	Non Outer Frame Size/mm	U/P(€)	Glass Thickness 2mm
09	φ300	980	
10	φ450	1,180	
11	φ600	1,380	
12	φ750	1,580	

Different and special sizes available.

## ■ Kakumado (Bamboo) YK-077 typeA p.74







Marumado Bamboo			
品番YK 088	Diameter /mm	U/P(€)	Remark
01	φ 606	1,080	Frame Thickness 70mm Outer Frame Thickness 29mm Plate Thickness 0.5mm
02	φ 757	1,150	
03	φ 909	1,350	

Marumado (Arabesque design) Bamboo			
品番YK 089	Diameter /mm	U/P(€)	Remark
01	φ 606	1,080	Frame Thickness 70mm Outer Frame Thickness 29mm Plate Thickness 0.5mm
02	φ 757	1,150	
03	φ 909	1,350	

Kakumado (Plum tree design) Bamboo			
品番YK 090	Widthxheight /mm	U/P(€)	Remark
01	455X606	1,050	Frame Thickness 70mm Outer Frame Thickness 29mm Plate Thickness 0.5mm
02	606X757	1,110	
03	757X909	1,310	

Kakumado Bamboo			
品番YK 091	Widthxheight /mm	U/P(€)	Remark
01	455X606	1,050	Frame Thickness 70mm Outer Frame Thickness 29mm Plate Thickness 0.5mm
02	606X757	1,110	
03	757X909	1,310	

Mado (Comb shaped design) Bamboo			
品番YK 092	Widthxheight /mm	U/P(€)	Remark
01	303X909	1,010	Frame Thickness 70mm Outer Frame Thickness 29mm
02	303X1,212	1,080	
03	303X1,515	1,280	

Marumado Bamboo			
品番YK 093	Diameter /mm	U/P(€)	Remark
01	φ 455	790	Frame Thickness 70mm Outer Frame Thickness 29mm
02	φ 606	850	
03	φ 757	950	

Kakumado Bamboo			
品番YK 094	Widthxheight /mm	U/P(€)	Remark
01	455X606	1,040	Frame Thickness 70mm Outer Frame Thickness 29mm
02	606X757	1,100	
03	757X909	1,290	

Shitajimarumado Bamboo			
品番YK 095	Diameter /mm	U/P(€)	Remark
01	φ 606	1,150	Frame Thickness 70mm Outer Frame Thickness 29mm Plate Thickness 0.5mm
02	φ 757	1,210	
03	φ 909	1,410	

## Wooden Frame with Japanese Paper



Shitajimado Bamboo			
品番YK 096	Widthxheight /mm	U/P(€)	Remark
01	A 455X606	1,210	Frame Size 102mm X15mm  Picture: Frame B
02	A 606X757	1,380	
03	B 455X606	1,250	
04	B 606X757	1,410	
05	C 455X606	1,200	
06	C 606X757	1,370	
07	D 455X606	1,240	
08	D 606X757	1,400	

Different and special sizes available.

Kakumado Bamboo			
品番YK 097	Widthxheight /mm	U/P(€)	Remark
01	A 455X606	1,150	Frame Size 102mm X15mm  Picture: Frame B
02	A 606X757	1,300	
03	B 455X606	1,180	
04	B 606X757	1,330	
05	C 455X606	1,170	
06	C 606X757	1,340	
07	D 455X606	1,200	
08	D 606X757	1,370	

Different and special sizes available.

Kakumado (Plum tree design) Bamboo			
品番YK 098	Widthxheight /mm	U/P(€)	Remark
01	A 455X606	1,110	Frame Size 102mm X15mm  Picture: Frame B
02	A 606X757	1,280	
03	B 455X606	1,150	
04	B 606X757	1,310	
05	C 455X606	1,140	
06	C 606X757	1,330	
07	D 455X606	1,170	
08	D 606X757	1,340	

Different and special sizes available.





Kakumado Bamboo and Acrylic

品番 YK	Frame Size	Width×height /mm	U/P(€)	Remark
099				
01	A	455×606	800	Frame Size 75mm ×21mm
02	B	455×606	830	
03	A	606×757	830	Plate Thickness 0.5mm
04	B	606×757	860	
05	A	757×909	950	Picture: Frame B
06	B	757×909	980	

Different and special sizes available.



Kakumado Bamboo and Wood

品番 YK	Frame Size	Width×height /mm	U/P(€)	Remark
100				
01	A	455×606	780	Frame Size 75mm ×21mm
02	B	455×606	810	
03	A	606×757	810	Plate Thickness 0.5mm
04	B	606×757	850	
05	A	757×909	910	Picture: Frame B
06	B	757×909	950	

Different and special sizes available.



Kakumado Bamboo

品番 YK	Frame Size	Width×height /mm	U/P(€)	Remark
101				
01	A	455×606	780	Frame Size 75mm ×21mm
02	B	455×606	810	
03	A	606×757	810	Plate Thickness 0.5mm
04	B	606×757	850	
05	A	757×909	910	Picture: Frame A
06	B	757×909	950	

Different and special sizes available.



Kakumado (Plum tree design) Bamboo

品番 YK	Frame Size	Width×height /mm	U/P(€)	Remark
102				
01	A	455×606	900	Frame Size 75mm ×21mm
02	B	455×606	930	
03	A	606×757	930	Plate Thickness 0.5mm
04	B	606×757	960	
05	A	757×909	1,060	Picture: Frame B
06	B	757×909	1,100	

Different and special sizes available.



Marumado (Plum tree design) Bamboo

品番 YK	Diameter /mm	U/P(€)	Remark
103			
01	φ606	1,910	Frame Size 75mm ×15mm
02	φ757	2,050	
03	φ909	2,420	

Different and special sizes available.



Marumado Bamboo and Acrylic

品番 YK	Diameter /mm	U/P(€)	Remark
104			
01	φ606	1,750	Frame Size 75mm ×15mm
02	φ757	1,880	
03	φ909	2,250	

Different and special sizes available.



Marumado Bamboo and Acrylic

品番 YK	Diameter /mm	U/P(€)	Remark
105			
01	φ606	1,750	Frame Size 75mm ×15mm
02	φ757	1,880	
03	φ909	2,250	

Different and special sizes available.

## Both-Sided Window




Ryomenmado

品番 YK	Width×height×depth /mm	U/P(€)
115		
01	645×645×90	1,670

## Structure of Both-Sided Window

Both sides are for front use.  
Warlon plate is inside, so cleaning is not needed.



## Laminated Bamboo Frame Type



### Marumado Bamboo

品番YK	Plate	Diameter/mm			Frame size /mm	Remark
109	Y/N	φ450	φ600	φ750		
01	Y	1,380	1,510	1,650	75	Plate Thickness 1.5mm
02	N	1,310	1,450	1,580	×12	
03	Y	1,480	1,610	1,750	90	
04	N	1,420	1,550	1,680	×12	
05	Y	1,580	1,710	1,850	105	
06	N	1,480	1,610	1,750	×12	

Different and special sizes available.

### Marumado Bamboo

品番YK	Plate	Diameter/mm			Frame size /mm	Remark
110	Y/N	φ450	φ600	φ750		
01	Y	1,380	1,510	1,650	75	Plate Thickness 1.5mm
02	N	1,310	1,450	1,580	×12	
03	Y	1,480	1,610	1,750	90	
04	N	1,420	1,550	1,680	×12	
05	Y	1,580	1,710	1,850	105	
06	N	1,480	1,610	1,750	×12	

Different and special sizes available.

### Marumado (Clover design) Bamboo

品番YK	Plate	Diameter/mm			Frame size /mm	Remark
111	Y/N	φ450	φ600	φ750		
01	Y	1,380	1,510	1,650	75	Plate Thickness 1.5mm
02	N	1,310	1,450	1,580	×12	
03	Y	1,480	1,610	1,750	90	
04	N	1,420	1,550	1,680	×12	
05	Y	1,580	1,710	1,850	105	
06	N	1,480	1,610	1,750	×12	

Different and special sizes available.



### Shitajimarumado Bamboo

品番YK	Plate	Diameter /mm	U/P(€)	Remark
112	Y/N			
01	Y	φ450	980	Frame size 75mm×6mm
02	N	φ450	910	
03	Y	φ600	1,110	
04	N	φ600	1,050	Plate Thickness 0.5mm
05	Y	φ750	1,210	
06	N	φ750	1,150	

Different and special sizes available.

### Marumado (Plum tree design) Bamboo

品番YK	Plate	Diameter /mm	U/P(€)	Remark
113	Y/N			
01	Y	φ450	1,010	Frame size 75mm×6mm
02	N	φ450	950	
03	Y	φ600	1,150	
04	N	φ600	1,080	Plate Thickness 0.5mm
05	Y	φ750	1,250	
06	N	φ750	1,180	


Different and special sizes available.

### Marumado Bamboo and Acrylic

品番YK	Plate	Diameter /mm	U/P(€)	Remark
114	Y/N			
01	Y	φ450	950	Frame size 75mm×6mm
02	N	φ450	880	
03	Y	φ600	1,110	
04	N	φ600	1,050	Plate Thickness 0.5mm
05	Y	φ750	1,180	
06	N	φ750	1,110	

Different and special sizes available.

## Structure of Laminated Bamboo Frame







## Marumado Bamboo

品番YK	Frame size /mm	Plate Y/N	U/P(€)	Diameter/mm			Remark
137				φ600	φ750	φ900	
01	75	Y	1,450	1,580	1,850		Plate Thickness 1.5mm
02	×15	N	1,280	1,410	1,680		
03	90	Y	1,580	1,750	2,010		
04	×15	N	1,410	1,580	1,850		
05	105	Y	1,750	1,910	2,180		
06	×15	N	1,580	1,750	2,010		

Different and special sizes available.



## Kakumado Bamboo

品番YK	Frame size /mm	Plate Y/N	U/P(€)	Width×height/mm			Remark
138				450×600	600×750	750×900	
01	75	Y	1,510	1,650	1,910		Plate Thickness 1.5mm
02	×15	N	1,350	1,480	1,750		
03	90	Y	1,650	1,810	2,080		
04	×15	N	1,480	1,650	1,910		
05	105	Y	1,810	1,980	2,250		
06	×15	N	1,650	1,810	2,080		

Different and special sizes available.



## Mado (Oval shaped design) Bamboo

品番YK	Frame size /mm	Plate Y/N	U/P(€)	Width×height/mm		Remark
139				450×630	600×790	
01	75×15	Y	1,510	1,650		Plate Thickness 1.5mm
02		N	1,350	1,480		
03	90×15	Y	1,650	1,810		
04		N	1,480	1,650		
05	105×15	Y	1,810	1,980		
06		N	1,650	1,810		

Different and special sizes available.



## Mado (Egg shaped design) Bamboo

品番YK	Frame size /mm	Plate Y/N	U/P(€)	Width×height/mm		備考
140				450×630	600×790	
01	75×15	Y	1,510	1,650		Plate Thickness 1.5mm
02		N	1,350	1,480		
03	90×15	Y	1,650	1,810		
04		N	1,480	1,650		
05	105×15	Y	1,810	1,980		
06		N	1,650	1,810		

Different and special sizes available.



YK-141



YK-142

## Mado (Comb shaped design) Bamboo

品番YK	Frame size /mm	Plate Y/N	U/P(€)	Width×height/mm			備考
141				900×300	1,200×300	1,500×300	
01	75	Y	1,510	1,650	1,910		Plate Thickness 1.5mm
02	×15	N	1,350	1,480	1,750		
03	90	Y	1,650	1,810	2,080		
04	×15	N	1,480	1,650	1,910		
05	105	Y	1,810	1,980	2,250		
06	×15	N	1,650	1,810	2,080		

Different and special sizes available.

## Mado (Comb shaped design) Bamboo

品番YK	Frame size /mm	Plate Y/N	U/P(€)	Width×height/mm			備考
142				900×300	1,200×300	1,500×300	
01	75	Y	1,510	1,650	1,910		Plate Thickness 1.5mm
02	×15	N	1,350	1,480	1,750		
03	90	Y	1,650	1,810	2,080		
04	×15	N	1,480	1,650	1,910		
05	105	Y	1,810	1,980	2,250		
06	×15	N	1,650	1,810	2,080		

Different and special sizes available.



\*Bamboo basket and flower not included.

## Marumado with shelf Bamboo

品番YK	Frame size /mm	Plate Y/N	U/P(€)	Width×height/mm			備考
143				φ600	φ750	φ900	
01	110×12	Y	1,360	1,610	2,180		Plate Thickness 1.5mm
03	130×12	Y	1,610	1,920	2,450		
05	150×12	Y	2,140	2,390	2,710		

Different and special sizes available.



Bamboo Blind (Special order product)



Bamboo Blind (Special order product)

すだれシリーズ

## BLIND SERIES

Blinds

Interior Wooden Blinds

Interior Bamboo Blinds

Kyoto Blinds for "Tatami" rooms

Blinds for Shrines and Temples

Summer "Shoji"

Materials for Summer "Shoji"





Oumiyoshi YR-004 p.83



Akasugi Miroku YS-003 p.102





■ Yoshizu YR-035 p.86



■ Hanada YR-087 p.101



Blinds

すだれ

■ Oumiyoshi Fushidome YR-003 p.83

## Reed Blinds



## Migakiyoshi Kawariami

品番YR 001	Width×height /mm	U/P(€)
01	955×410	330
02	955×545	330
03	955×820	380
04	955×1120	420
05	955×1640	470

Different and special sizes available.



## Oumiyoshi Daijin

品番YR 002	Width×height /mm	U/P(€)
01	955×410	310
02	955×545	310
03	955×820	350
04	955×1120	400
05	955×1640	440


Different and special sizes available.



## Oumiyoshi Fushidome

品番YR 003	Width×height /mm	U/P(€)
01	955×410	310
02	955×545	310
03	955×820	350
04	955×1120	400
05	955×1640	440

Different and special sizes available.



## Oumiyoshi

品番YR 004	Width×height /mm	U/P(€)
01	955×410	270
02	955×545	270
03	955×820	300
04	955×1120	340
05	955×1640	380

Different and special sizes available.



## Migakiyoshi Fushidome

品番YR 005	Width×height /mm	U/P(€)
01	955×410	175
02	955×545	175
03	955×820	199
04	955×1120	224
05	955×1640	249

Different and special sizes available.



## Mirokuyoshi

品番YR 006	Width×height /mm	U/P(€)
01	955×410	180
02	955×545	180
03	955×820	200
04	955×1120	230
05	955×1640	250

Different and special sizes available.



## Kawatsukiyoshi

品番YR 007	Width×height /mm	U/P(€)
01	955×410	180
02	955×545	180
03	955×820	200
04	955×1120	230
05	955×1640	250

Different and special sizes available.




## Tenshin

品番YR 008	Width×height /mm	U/P(€)
01	955×410	77
02	955×545	77
03	955×820	88
04	955×1120	99
05	955×1640	110

Different and special sizes available.





### Yamayoshi

品番YR 009	Width×height /mm	U/P(€)
01	955×410	99
02	955×545	99
03	955×820	120
04	955×1120	130
05	955×1640	140


Different and special sizes available.



### Migakiyoshi Sukashiami

品番YR 010	Width×height /mm	U/P(€)
01	955×410	140
02	955×545	140
03	955×820	150
04	955×1120	170
05	955×1640	190

Different and special sizes available.





### Wakon someyoshi

品番YR 011	Width×height /mm	U/P(€)
01	955×410	180
02	955×545	180
03	955×820	200
04	955×1120	230
05	955×1640	250

Different and special sizes available.

**Dyed Reed**




### Someyoshi

品番YR 012	Width×height /mm	U/P(€)
01	955×410	180
02	955×545	180
03	955×820	200
04	955×1120	230
05	955×1640	250

Different and special sizes available.

**Dyed Reed**

## Cattail Reed Blinds



### Gamashin Kawariami

品番YR 013	Width×height /mm	U/P(€)
01	955×410	330
02	955×545	330
03	955×820	380
04	955×1120	420
05	955×1640	470


Different and special sizes available.



### Migakigamashin

品番YR 014	Width×height /mm	U/P(€)
01	955×410	220
02	955×545	220
03	955×820	250
04	955×1120	280
05	955×1640	310

Different and special sizes available.



### Gamashin Kawariami

品番YR 015	Width×height /mm	U/P(€)
01	955×410	99
02	955×545	99
03	955×820	120
04	955×1120	130
05	955×1640	140

Different and special sizes available.



### Gamashin Sukashiami

品番YR 016	Width×height /mm	U/P(€)
01	955×410	120
02	955×545	120
03	955×820	140
04	955×1120	160
05	955×1640	180

Different and special sizes available.



### Wakon Gamashin Kawariami


品番YR 088	Width×height /mm	U/P(€)
01	955×410	350
02	955×545	350
03	955×820	400
04	955×1120	450
05	955×1640	500

Different and special sizes available.



■ Kawatsukiyoshi YR-007 p.83





■ Daihagi YR-019 p.85

## Bush Clover Blinds



### Daihagi Kawariami

品番YR 017	Width×height /mm	U/P(€)
01	955×410	330
02	955×545	330
03	955×820	380
04	955×1120	420
05	955×1640	470

Different and special sizes available.



### Mehagi

品番YR 018	Width×height /mm	U/P(€)
01	955×410	610
02	955×545	610
03	955×820	700
04	955×1120	790
05	955×1640	870

Different and special sizes available.



### Daihagi

品番YR 019	Width×height /mm	U/P(€)
01	955×410	88
02	955×545	88
03	955×820	100
04	955×1120	120
05	955×1640	130

Different and special sizes available.



### Daihagi Sukashiami

品番YR 020	Width×height /mm	U/P(€)
01	955×410	120
02	955×545	120
03	955×820	140
04	955×1120	160
05	955×1640	180

Different and special sizes available.

## Bamboo Blinds




Flame Retardant  
Product

\* Additional Fee

### Takehigo

品番YR 021	Width×height /mm	U/P(€)
01	955×410	140
02	955×545	140
03	955×820	150
04	955×1120	170
05	955×1640	190

Different and special sizes available.



Flame Retardant  
Product

\* Additional Fee

### Sometakehigo (Green)

品番YR 022	Width×height /mm	U/P(€)
01	955×410	190
02	955×545	190
03	955×820	220
04	955×1120	240
05	955×1640	270

Dyed Bamboo Different and special sizes available.



Flame Retardant  
Product

\* Additional Fee

### Sometakehigo (Black)

品番YR 023	Width×height /mm	U/P(€)
01	955×410	190
02	955×545	190
03	955×820	220
04	955×1120	240
05	955×1640	270

Dyed Bamboo Different and special sizes available.



Flame Retardant  
Product

\* Additional Fee

### Sometakehigo (Dark Red)

品番YR 024	Width×height /mm	U/P(€)
01	955×410	170
02	955×545	170
03	955×820	190
04	955×1120	210
05	955×1640	240

Dyed Bamboo Different and special sizes available.





Flame Retardant Product  
\*Additional Fee

### Kawatsuki Kakuhiho

品番YR 025	Width×height /mm	U/P(€)
01	955×410	200
02	955×545	200
03	955×820	230
04	955×1120	260
05	955×1640	280

Different and special sizes available.



### Marutakehigo Yoshiiri

品番YR 026	Width×height /mm	U/P(€)
01	955×410	180
02	955×545	180
03	955×820	200
04	955×1120	230
05	955×1640	250

Different and special sizes available.



Flame Retardant Product  
\*Additional Fee

### Wakon Takehigo

品番YR 027	Width×height /mm	U/P(€)
01	955×410	160
02	955×545	160
03	955×820	180
04	955×1120	200
05	955×1640	220

Different and special sizes available.



Flame Retardant Product  
\*Additional Fee

### Wakon Takehigo (Dark Red)

品番YR 028	Width×height /mm	U/P(€)
01	955×410	200
02	955×545	200
03	955×820	230
04	955×1120	260
05	955×1640	280

Different and special sizes available.

Dyed Bamboo



Flame Retardant Product  
\*Additional Fee

### Wakon Yakitakehigo

品番YR 029	Width×height /mm	U/P(€)
01	955×410	160
02	955×545	160
03	955×820	180
04	955×1120	200
05	955×1640	220

Different and special sizes available.



Flame Retardant Product  
\*Additional Fee

### Wakon Maruyakitakehigo

品番YR 030	Width×height /mm	U/P(€)
01	955×410	160
02	955×545	160
03	955×820	180
04	955×1120	200
05	955×1640	220

Different and special sizes available.



Flame Retardant Product  
\*Additional Fee

### Yakitakehigo

品番YR 031	Width×height /mm	U/P(€)
01	955×410	160
02	955×545	160
03	955×820	180
04	955×1120	200
05	955×1640	220

Different and special sizes available.



Flame Retardant Product  
\*Additional Fee

### Sarashi (Wire Spec)

品番YR 032	Width×height /mm	U/P(€)
01	955×410	580
02	955×545	590
03	955×820	680
04	955×1120	780

Different and special sizes available.




Flame Retardant Product  
\*Additional Fee

### Metake (Wire Spec)

品番YR 033	Width×height /mm	U/P(€)
01	955×410	550
02	955×545	560
03	955×820	660
04	955×1120	750

Different and special sizes available.



Flame Retardant Product  
\*Additional Fee

### Kurotake (Wire Spec)

品番YR 034	Width×height /mm	U/P(€)
01	955×410	530
02	955×545	540
03	955×820	640
04	955×1120	730

Different and special sizes available.




### Yoshizu

品番YR 035	Width×height /mm	U/P(€)
01	1,820×1,820	140
02	1,820×2,420	160
03	1,820×2,730	180

Different and special sizes available.



## Metal Parts and Others




Single Roll-Up Device

品番YR	U/P(€)
036	
01	15

Double Roll-Up Device


品番YR	U/P(€)
037	
01	53



Metal Part


品番YR	U/P(€)
038	
01	100

You can change the blind length to half by hooking the lower metal part to the upper part.



Sanada String

品番YR	U/P(€)
089	
01	84



Hooking Metal

品番YR	U/P(€)
039	
01	6



Installation Metal


品番YR	U/P(€)
040	
01	8

## Upper Parts of Blind



Hanabishi Metal

品番YR	U/P(€)
041	
01	—



Round Hole

品番YR	U/P(€)
042	
01	—



Sakazuki

品番YR	U/P(€)
043	
01	—



String

品番YR	U/P(€)
044	
01	—





One Top Layer Base  
(Bamboo)

品番YR	U/P(€)
045	—
01	—



Two Top Layer Base  
(Bamboo)

品番YR	U/P(€)
046	9
01	9



Choice of Top Layer

品番YR	U/P(€)
047	—
01	—

- 1 Somesusu **Dyed Bamboo**
- 2 Sabitake
- 3 Sarashi

## Waterproof Processing

Protects outside blinds from rain. Details on page 28.



■ Migakiyoshi Fushidome YR-005 p.83







■ Migakiyoshi Fushidome YR-005 p.83



■ Oumi-yoshi Fushidome YR-003 p.83



■ Mirokuyoshi YR-006 p.83




■ Tenshin YR-008 p.83



# インテリア 木すだれ

## Interior Wooden Blinds

■ Kisudare YR-059 p.91




### Type A

width/mm height/mm	200~600	~900	~1,200	~1,500	~1,800
200~1,000	220	240	300	360	420
~1,200	250	280	350	420	490
~1,400	290	310	400	470	550
~1,600	320	350	440	520	610
~1,800	350	390	480	580	670
~2,000	390	430	530	640	740

Different and special sizes available.

U/P(€)




### Type B

width/mm height/mm	200~600	~900	~1,200	~1,500	~1,800
200~1,000	240	260	340	400	450
~1,200	270	300	390	450	520
~1,400	300	330	430	500	590
~1,600	340	390	470	560	650
~1,800	400	430	520	610	710
~2,000	430	470	560	670	780

Different and special sizes available.

U/P(€)



### Type C

width/mm height/mm	500~1,200	~1,800	~2,100	~2,400
500~1,200	1,150	1,450	1,550	1,650
~1,800	1,300	1,700	1,820	1,940
~2,100	1,370	1,770	1,900	2,100
~2,400	1,450	1,840	1,970	—

U/P(€)



### Kisudare

品番 YR 048 01 Color: Natural Thread: White




### Kisudare

品番 YR 049 01 Color: Natural Thread: White

## Measuring Method


When installing inside the window frame. (Attached to the ceiling.)

The size of the product will be made according to the inside height and width of the window frame.



When installing inside the window frame. (Attached to the front.)

The size of the product will be made according to the outside height and width of the window frame.



## Ordering Method

1. Choose your size.
2. Pick your design from numbers YR048 to YR061.
3. Choose the number of products.
4. Choose if you would like the roll up chain on the left or right side. (Only for C type.)

\*Attention for C type.

The width will be 60mm (25mm+35mm) longer because of the attached equipment.


Width	Height/mm	Diameter/mm
85	500	50
60	1,000	70
25	1,500	80
35	2,000	88
	2,500	100
	3,000	112

\*Thickness of the core bar is 40mm

## Installing Method

1. Attach the installation bracket.



Attach the brackets symmetrically.



2. Connect the body of the blind with the installation bracket.

(A) Push the body of the blind into the groove of the installation metal.

(B) Stabilize by screwing a nail to the lower part of the metal.









**Kisudare**

品番YR 050	01	Color: Natural Thread: White
-------------	----	---------------------------------




**Kisudare**

品番YR 051	01	Color: Natural Thread: Yellow-Green
-------------	----	--



**Kisudare**

品番YR 052	01	Color: Natural Thread: Yellow-Green
-------------	----	--



**Kisudare**

品番YR 053	01	Color: Natural Thread: Yellow-Green
-------------	----	--



**Kisudare**

品番YR 054	01	Color: Royal Oak Thread: Yellow-Green
-------------	----	--




**Kisudare**

品番YR 055	01	Color: Royal Oak Thread: Yellow-Green
-------------	----	--




**Kisudare**

品番YR 056	01	Color: Royal Oak Thread: Yellow-Green
-------------	----	--



**Kisudare**

品番YR 057	01	Color: Oak Thread: Yellow-Green
-------------	----	------------------------------------



**Kisudare**

品番YR 058	01	Color: Oak Thread: Yellow-Green
-------------	----	------------------------------------



**Kisudare**

品番YR 059	01	Color: Oak Thread: Yellow-Green
-------------	----	------------------------------------



**Kisudare**

品番YR 060	01	Color: Dark Oak Thread: Yellow-Green
-------------	----	---



**Kisudare**

品番YR 061	01	Color: Dark Oak Thread: Yellow-Green
-------------	----	---

Different and special sizes available.



# インテリア 竹すだれ Interior Bamboo Blinds

■ Takesudare YR-096 p.93

## Type I

Non Flame Retardant Spec	Width/mm Height/mm	500~900	~1,200	~1,500	~1,800	~2,000	~2,400
	~500	310	370	430	490	530	600
Flame Retardant Spec	~1,000	340	400	460	530	570	640
	~1,500	360	430	500	570	610	700
	~2,000	380	450	530	600	650	750
	~2,500	400	480	560	640	700	800

U/P(€)

## Type II


Non Flame Retardant Spec	Width/mm Height/mm	500~900	~1,200	~1,500	~1,800	~2,000	~2,400
	~500	330	390	450	510	550	630
Flame Retardant Spec	~1,000	350	420	480	550	600	690
	~1,500	370	450	520	600	650	750
	~2,000	390	480	560	640	700	800
	~2,500	420	540	590	680	740	860

U/P(€)

## Curtain Type

Non Flame Retardant Spec	Width/mm Height/mm	500~1,000	~1,200	~1,400	~1,600	~1,800	~2,000	~2,200	~2,400	~2,600	~2,800	~3,000
	~1,350	170	200	230	260	280	310	340	360	390	420	450
Flame Retardant Spec	~1,700	200	230	260	290	320	360	390	420	450	480	520
	~2,000	230	270	310	350	390	420	460	500	540	580	620
	~2,400	260	310	350	400	440	490	530	580	620	660	710
	~1,350	210	240	270	300	330	370	400	430	460	500	530
Flame Retardant Spec	~1,700	230	270	310	340	380	420	460	500	530	570	610
	~2,000	260	320	360	410	450	500	550	590	640	680	730
	~2,400	310	360	420	470	520	580	630	680	730	780	840

U/P(€)




Takesudare (Type I)

品番YR 01 Material: Bamboo φ1.8mm  
090 Thread: White



Takesudare (Type I)

品番YR 01 Material: Smoked Bamboo φ1.8mm  
091 Thread: Brown



Takesudare (Type II)


品番YR 108 01



Takesudare (Type II)


品番YR 109 01





Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.8mm  
094 Thread: White



Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.8mm  
095 Thread: Brown



Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.8mm  
096 Thread: Dark Brown



Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.5mm & 6mm  
097 Thread: Brown




Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.5mm & 6mm  
098 Thread: Black




Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.5mm & 6mm  
099 Thread: Dark Red



Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.5mm  
100 Thread: Dark Red



Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.5mm & 6mm  
101 Thread: Black



Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.5mm & 12mm  
102 Thread: Brown



Takesudare (Type II)

品番YR 01 Material: Bamboo  $\phi$ 1.5mm & 12mm  
103 Thread: Brown



Takesudare (Type II)

品番YR 01 Material: Bamboo 5mm  
106 Thread: Dark Brown




Takesudare (Type II)

品番YR 01 Material: Bamboo 5mm  
107 Thread: Dark Black



## Roll Screen Type




Size and Diameter Approximation

Height of Product /mm	Side Frame	φ	a	b	c	d Plastic Drum Diameter
500~1,250	S	73	95.5	59	58	φ 85
1,250~2,000	M	78	103	67	58	φ 95
2,000~2,500	L	84	123.5	70	58	φ 107


## Features and Structures

- \* The drum makes the blind roll up smoothly, which makes the blind long lasting.
- \* Installation is very easy.
- \* Two stoppers are included to set the height of the blind.

### Side View of Machinery




## Measuring Method



When installing inside a window frame. (Attached to the ceiling.)

When ordering, state minus 10mm than the inside size of the window frame.



When installing inside a window frame. (Attached to the front.)


When ordering, state plus 10mm than the inside size of the window frame.

\*Natural materials may cause small difference in size and depending on temperature, it may cause shrinking.

## Parts Colors

### Machinery Colors (Ball Chain and Plastic Drum)

Beige



YR-090・092・094・104

Brown



YR-091・093・095・096・097  
099・100・101・105

Black



YR-098・102・103

### Installation Bracket Colors



Beige



Brown



Black

### Diameter and Weight Approximation

Width/mm	900	1,200	1,500	1,800	2,000	2,400	Diameter
Height/mm							
500	about 1.42kg	about 1.75kg	about 2.10kg	about 2.44kg	about 3.65kg	about 3.18kg	about φ 56
1,000	about 1.91kg	about 2.45kg	about 2.93kg	about 3.45kg	about 3.75kg	about 4.50kg	about φ 70
1,500	about 2.40kg	about 3.05kg	about 3.72kg	about 4.41kg	about 4.85kg	about 5.82kg	about φ 82
2,000	about 2.90kg	about 3.70kg	about 4.55kg	about 5.39kg	about 5.95kg	about 7.14kg	about φ 92
2,500	about 3.40kg	about 4.35kg	about 5.37kg	about 6.38kg	about 7.05kg	about 8.46kg	about φ 100

### Height of Ball Chain

Height of Product /mm	Ball Chain/mm
500	1,500
1,000	
1,500	
2,000	
2,500	2,000



## Curtain Type

### Features and Structures

It includes a magnet on the handle which will make it close firmly.

The other side will be fixated with a hook metal attached to the wall.

Approximate width and weight (When height is 1700mm)

Opened	1000	1500	2000	2500	3000
Folded	About 85	About 100	About 130	About 155	About 180
Weight	About 2kg	About 3kg	About 4kg	About 5kg	About 6kg

(Unit : mm)

### Included Parts




\* Curtail rod and curtain track are not included.




■ Takesudare YR-109 p.92

### Folded Diagram (When opened length is 1000mm)



### Cross-Section View




### Measuring Method

The width of the curtain body is 1.2 times the size of the curtain rod.

Calculate your curtain height as illustrated on the cross-section view.

Check p.134 for your curtain body width and height on the price chart.







■ Takesudare YR-099 p.93



■ Takesudare YR-106 p.93



■ Takesudare YR-106 p.93





■ Takesudare YR-106 p.93



■ Takesudare YR-091 p.92



■ Takesudare YR-091 p.92



■ Takesudare YR-107 p.93





■ Takesudare YR-099 p.93



■ Takesudare YR-097 p.93



## Kyoto Blinds for "Tatami" rooms



Kodai Ippongaeshi Bamboo

品番YR 062	Width×height/mm	U/P(€)
01	950×1,750	2,010
02	950×300	1,010
03	880×1,750	2,010
04	880×300	1,010
05	710×1,750	1,810
06	710×300	910
07	650×1,750	1,810
08	650×300	910



Yuushoku Bamboo

品番YR 063	Width×height/mm	U/P(€)
01	950×1,750	970
02	950×300	490
03	880×1,750	970
04	880×300	490
05	710×1,750	870
06	710×300	440
07	650×1,750	870
08	650×300	440



Joutokiwa Bamboo

品番YR 064	Width×height/mm	U/P(€)
01	950×1,750	890
02	950×300	450
03	880×1,750	890
04	880×300	450
05	710×1,750	800
06	710×300	400
07	650×1,750	800
08	650×300	400




Shintokiwa Bamboo

品番YR 065	Width×height/mm	U/P(€)
01	950×1,750	850
02	950×300	430
03	880×1,750	850
04	880×300	430
05	710×1,750	770
06	710×300	390
07	650×1,750	770
08	650×300	390



Sazanami Bamboo

品番YR 066	Width×height/mm	U/P(€)
01	950×1,750	470
02	950×300	240
03	880×1,750	470
04	880×300	240
05	710×1,750	340
06	710×300	210
07	650×1,750	420
08	650×300	210



Oumiyoshi Daijingara Reed

品番YR 067	Width×height/mm	U/P(€)
01	950×1,750	2,060
02	950×300	1,030
03	880×1,750	2,060
04	880×300	1,030
05	710×1,750	1,860
06	710×300	930
07	650×1,750	1,860
08	650×300	930



## Installation Metal




### 1 Ginkobi Zizai


品番YR	U/P(€)
068	
01	90

### 2 Sentoku Zizai

品番YR	U/P(€)
069	
01	74



\*Nageshi=horizontal timber round the walls of a room




### 1 Ginkobi Hakonage

品番YR	U/P(€)
070	
01	80


### 2 Sentoku Hakonage

品番YR	U/P(€)
071	
01	57



### Otsukan

品番YR	U/P(€)
072	
01	5



■ Yushoku YR-063 p.99



## Blinds for Shrines and Temples

All products are made in different and special sizes. Please contact us for prices.



### 1 Shinyamato (Yellow)

品番YR 073 01 Bamboo

### 2 Shinyamato (Vermilion)

品番YR 074 01 Bamboo

### 3 Koushoku Yamato (Yellow)

品番YR 075 01 Bamboo

### 4 Koushoku Yamato (Vermilion)

品番YR 076 01 Bamboo

### 5 Jokinran

品番YR 077 01 Bamboo

### 6 Kumokinran

品番YR 078 01 Bamboo

### 7 Honyamato

品番YR 079 01 Bamboo

### 8 Honyamato (Pure Silk)

品番YR 080 01 Bamboo

### 9 Sakura Koushoku

品番YR 081 01 Bamboo

### 10 Kodai honyamato

品番YR 082 01 Bamboo

### 11 Kodai honyamato (Pure Silk)

品番YR 083 01 Bamboo

### 12 Kiniri Koushoku (Vermilion)

品番YR 084 01 Bamboo

### 13 Kiniri Koushoku (Yellow)

品番YR 085 01 Bamboo

### 14 Kanekin


品番YR 086 01 Bamboo



■ Kanekin YR-086 p.101



■ Shinyamato (Vermilion) YR-074 p.101



### Hanada

品番YR 087 01 Bamboo



■ Shinyamato (Yellow) YR-073 p.101



# 夏障子

## Summer "Shoji"


■ Akasugi Miroku YS-003 p.102



**Akasugijinndai Akakuchiyoshi**  
Reed

品番YS	Width×height/mm	U/P(€)
001		
01	965×1,757	3,540
02	725×1,757	3,360

Different and special sizes available.



**Akasugi Mehagi**  
Bush Clover

品番YS	Width×height/mm	U/P(€)
002		
01	965×1,757	5,310
02	725×1,757	4,780


Different and special sizes available.



**Akasugi Miroku**  
Reed

品番YS	Width×height/mm	U/P(€)
003		
01	965×1,757	3,800
02	725×1,757	3,420

Different and special sizes available.



**Hinoki Kyoudaijin**  
Reed

品番YS	Width×height/mm	U/P(€)
004		
01	965×1,757	4,290
02	725×1,757	4,080

Different and special sizes available.



**Hinoki Kyoudaijin**  
Reed

品番YS	Width×height/mm	U/P(€)
005		
01	965×1,757	3,150
02	725×1,757	2,990

Different and special sizes available.



**Akasugi Akakuchi**  
Reed

品番YS	Width×height/mm	U/P(€)
006		
01	965×1,757	1,960
02	725×1,757	1,860

Different and special sizes available.



**Akasugi Miroku**  
Reed

品番YS	Width×height/mm	U/P(€)
007		
01	965×1,757	1,830
02	725×1,757	1,750

Different and special sizes available.



**Hinoki Akakuchi**  
Reed

品番YS	Width×height/mm	U/P(€)
008		
01	965×1,757	1,720
02	725×1,757	1,640


Different and special sizes available.



**Supurusu Tenshin**  
Reed

品番YS	Width×height/mm	U/P(€)
009		
01	965×1,757	1,320
02	725×1,757	1,260

Different and special sizes available.



**Supurusu Tenshin**  
Reed

品番YS	Width×height/mm	U/P(€)
010		
01	965×1,757	1,430
02	725×1,757	1,290

Different and special sizes available.


The thickness is until 30mm. Over 30mm will be an additional fee.



## 障子中


Materials  
for Summer  
"Shoji"

■ Oumiyoshi Kyodaijin YS-017 p.103




## 1 Tenshin Kyodaijin Reed

品番YS	Width/mm	Quantity	U/P(€)
011			
01	3,635~3,820	shoji of 4 piece	1,550
02	2,730~2,865	shoji of 4 piece	1,242




## 1 Daihagi Bush Clover

品番YS	Width/mm	Quantity	U/P(€)
013			
01	3,635~3,820	shoji of 4 piece	1,092
02	2,730~2,865	shoji of 4 piece	875




## 1 Oumiyoshi Akakuchi Reed

品番YS	Width/mm	Quantity	U/P(€)
015			
01	3,635~3,820	shoji of 4 piece	3,100
02	2,730~2,865	shoji of 4 piece	2,484




## 2 Tenshin Hosokuchi Reed

品番YS	Width/mm	Quantity	U/P(€)
012			
01	3,635~3,820	shoji of 4 piece	875
02	2,730~2,865	shoji of 4 piece	700




## 2 Tenshin Hutokuchi Reed

品番YS	Width/mm	Quantity	U/P(€)
014			
01	3,635~3,820	shoji of 4 piece	1,242
02	2,730~2,865	shoji of 4 piece	992



## 2 Oumiyoshi Akakuchi (Mountain) Reed

品番YS	Width/mm	Quantity	U/P(€)
016			
01	3,635~3,820	shoji of 4 piece	3,100
02	2,730~2,865	shoji of 4 piece	2,484



## 1 Oumiyoshi Kyodaijin Reed


品番YS	Width/mm	Quantity	U/P(€)
017			
01	3,635~3,820	shoji of 4 piece	3,725
02	2,730~2,865	shoji of 4 piece	2,975

## Oumiyoshi Kyodaijin Reed

品番YS	Width/mm	Quantity	U/P(€)
018			
01	3,635~3,820	shoji of 4 piece	3,100
02	2,730~2,865	shoji of 4 piece	2,484

## 2 Mirokuyoshi Reed

品番YS	Width/mm	Quantity	U/P(€)
019			
01	3,635~3,820	shoji of 4 piece	3,100
02	2,730~2,865	shoji of 4 piece	2,484



## 1 Mehagi Bush Clover

品番YS	Width/mm	Quantity	U/P(€)
020			
01	3,635~3,820	shoji of 4 piece	5,584
02	2,730~2,865	shoji of 4 piece	4,467

## 2 Takehigo Bamboo


品番YS	Width/mm	Quantity	U/P(€)
021			
01	3,635~3,820	shoji of 4 piece	1,550
02	2,730~2,865	shoji of 4 piece	1,242





庭園シリーズ

## GARDEN SERIES



"Sodegaki" Small Bamboo Fences

Inuyarai

"Takegaki" Bamboo Fences

Screen Doors / Cover of Wells / Water Pipes


Screens / Object Coverage

Benches / Stools / Umbrella Stands

Garden Materials

Left page    Upper: Hagi Sodegaki YT-021 (p.109)  
                  Lower left: Inuyarai YT-026 (p.110)  
                  Lower right: Sarashi Yadome YT-001 (p.106)

Right page    A: Sarashi Misugaki  
                  B: Aowaridake Taimatsugaki  
                  C: Sugikawagaki  
                  D: Kuro Edahogaki  
                  E: Aodake Koetsujigaki



Right page







# 袖垣

## "Sodegaki" Small Bamboo Fences

■ Sarashi Yadome YT-001 p.106

■ Kuromoji Sodegaki YT-036 p.106



Sarashi Yadome Bamboo

品番YT 001	Height×Width /mm	U/P(€)
01	1,670×455	575
02	1,670×545	575
03	1,670×606	650
04	1,670×697	742
05	1,670×758	809
06	1,670×910	967

Different and special sizes available.



Sarashi Ayame Bamboo

品番YT 002	Height×Width /mm	U/P(€)
01	1,670×455	475
02	1,670×545	475
03	1,670×606	525
04	1,670×697	609
05	1,670×758	659
06	1,670×910	792

Different and special sizes available.



Sarashi Tamasode Bamboo

品番YT 003	Height×Width /mm	U/P(€)
01	1,670×455	384
02	1,670×545	450
03	1,670×606	500
04	1,670×697	575
05	1,670×758	625
06	1,670×910	759

Different and special sizes available.



Sarashi Sobishi Bamboo

品番YT 004	Height×Width /mm	U/P(€)
01	1,670×455	417
02	1,670×545	500
03	1,670×606	559
04	1,670×697	634
05	1,670×758	692
06	1,670×910	834

Different and special sizes available.





**Sarashi Shirahoiri** Bamboo

品番YT	Height×Width /mm	U/P(€)
005		
01	1,670×455	520
02	1,670×545	610
03	1,670×606	680
04	1,670×697	770
05	1,670×758	830
06	1,670×910	980

Different and special sizes available.



**Sarashi Kurohoiri** Bamboo

品番YT	Height×Width /mm	U/P(€)
006		
01	1,670×455	530
02	1,670×545	620
03	1,670×606	690
04	1,670×697	770
05	1,670×758	840
06	1,670×910	1,000

Different and special sizes available.



**Tora Tamasode** Bamboo

品番YT	Height×Width /mm	U/P(€)
007		
01	1,670×455	550
02	1,670×545	570
03	1,670×606	620
04	1,670×697	710
05	1,670×758	770
06	1,670×910	900

Different and special sizes available.



**Monchiku Tamasode** Bamboo

品番YT	Height×Width /mm	U/P(€)
008		
01	1,670×455	550
02	1,670×545	570
03	1,670×606	620
04	1,670×697	710
05	1,670×758	780
06	1,670×910	920


Different and special sizes available.



**Sabi Tamasode** Bamboo

品番YT	Height×Width /mm	U/P(€)
009		
01	1,670×455	630
02	1,670×545	750
03	1,670×606	840
04	1,670×697	960
05	1,670×758	1,050
06	1,670×910	1,250

Different and special sizes available.



**Honsusu Tamasode** Bamboo

品番YT	Height×Width /mm	U/P(€)
010		
01	1,670×455	1,000
02	1,670×545	1,042
03	1,670×606	1,150
04	1,670×697	1,400
05	1,670×758	1,434
06	1,670×910	1,725

Different and special sizes available.



**Honsusu Sobishi** Bamboo

品番YT	Height×Width /mm	U/P(€)
033		
01	1,670×455	1,042
02	1,670×545	1,150
03	1,670×606	1,225
04	1,670×697	1,400
05	1,670×758	1,525
06	1,670×910	1,825

Different and special sizes available.



**Takeeda Tamasode** Bamboo Branch

品番YT	Height×Width /mm	U/P(€)
011		
01	1,670×455	1,370
02	1,670×545	1,370
03	1,670×606	1,520
04	1,670×697	1,700
05	1,670×758	1,940
06	1,670×910	2,040

Different and special sizes available.





**Hagi Tamasode** Bush Clover

品番YT	Height×Width /mm	U/P(€)
012		
01	1,670×455	970
02	1,670×545	970
03	1,670×606	970
04	1,670×697	1,110
05	1,670×758	1,210
06	1,670×910	1,450


Different and special sizes available.



**Kuromoji Tamasode**  
Black Maple Tree

品番YT	Height×Width /mm	U/P(€)
013		
01	1,670×455	2,290
02	1,670×545	2,290
03	1,670×606	2,290
04	1,670×697	2,500
05	1,670×758	2,720
06	1,670×910	3,260

Different and special sizes available.



**Sarashi Rikyu** Bamboo

品番YT	Height×Width /mm	U/P(€)
014		
01	1,670×455	500
02	1,670×545	500
03	1,670×606	500
04	1,670×697	590
05	1,670×758	630
06	1,670×910	750

Different and special sizes available.



**Nishiyamagaki** Bamboo

品番YT	Height×Width /mm	U/P(€)
015		
01	1,670×455	500
02	1,670×545	500
03	1,670×606	500
04	1,670×697	580
05	1,670×758	630
06	1,670×910	750

Different and special sizes available.



**Sarashi Kikko** Bamboo

品番YT	Height×Width /mm	U/P(€)
016		
01	1,670×455	540
02	1,670×545	610
03	1,670×606	690
04	1,670×697	800
05	1,670×758	880
06	1,670×910	1,050

Different and special sizes available.



**Sarashi Shiraho Ryotsuno**  
Bamboo

品番YT	Height×Width /mm	U/P(€)
017		
01	1,670×455	500
02	1,670×545	550
03	1,670×606	630
04	1,670×697	710
05	1,670×758	770
06	1,670×910	920

Different and special sizes available.



**Sarashi Kuroho Ryotsuno**  
Bamboo

品番YT	Height×Width /mm	U/P(€)
018		
01	1,670×455	500
02	1,670×545	550
03	1,670×606	630
04	1,670×697	710
05	1,670×758	770
06	1,670×910	920

Different and special sizes available.



**Takeeda Sodegaki**  
Bamboo Branch

品番YT	Height×Width /mm	U/P(€)
019		
01	1,670×455	1,390
02	1,670×545	1,390
03	1,670×606	1,670
04	1,670×697	1,870
05	1,670×758	1,970
06	1,670×910	2,270

Different and special sizes available.





**Kuromoji Sodegaki**  
Black Maple Tree

品番YT	Height×Width /mm	U/P(€)
036		
01	1,670×455	2,290
02	1,670×545	2,290
03	1,670×606	2,290
04	1,670×697	2,500
05	1,670×758	2,720
06	1,670×910	3,260

Different and special sizes available.



**Hagi Sodegaki** Bush Clover

品番YT	Height×Width /mm	U/P(€)
021		
01	1,670×455	970
02	1,670×545	970
03	1,670×606	970
04	1,670×697	1,110
05	1,670×758	1,210
06	1,670×910	1,450

Different and special sizes available.



**Hagi Taimatsu** Bush Clover

品番YT	Height×Width /mm	U/P(€)
022		
01	1,670×455	1,310
02	1,670×545	1,680
03	1,670×606	1,870
04	1,670×697	2,240
05	1,670×758	2,420
06	1,670×910	2,800

Different and special sizes available.



**Kuromoji Taimatsu**  
Black Maple Tree

品番YT	Height×Width /mm	U/P(€)
023		
01	1,670×455	1,990
02	1,670×545	2,240
03	1,670×606	2,420
04	1,670×697	2,920
05	1,670×758	3,170
06	1,670×910	3,660


Different and special sizes available.



**Sarashi Koetsuji** Bamboo

品番YT	Height×Width/mm	U/P(€)
024		
01	910~1,210×910	467
02	910~1,210×1,212	625
03	910~1,210×1,515	775
04	910~1,210×1,820	934
05	910~1,210×2,120	1,092
06	910~1,210×2,425	1,250

Different and special sizes available.



**Kuzuryugaki** Bamboo

品番YT	Height×Width /mm	U/P(€)
034		
01	800×1,800	1,850
02	950×2,100	2,380
03	1,050×2,400	3,080
04	1,200×2,700	3,910
05	1,300×3,000	4,610

Different and special sizes available.



**Hagi Daruma** Bush Clover

品番YT	Height×Width /mm	U/P(€)
035		
01	1,670×455	1,670
02	1,670×545	1,670
03	1,670×606	1,670
04	1,670×697	1,920
05	1,670×758	2,090
06	1,670×910	2,500

Different and special sizes available.



# 犬矢来

(駒寄せ) Inuyarai

Inuyarai was originally made to prevent dogs from damaging the outside walls of houses. There were also stories that say it was made to avoid people from coming to eavesdrop on conversations at the tea room.


But now, it is used as one of Kyoto's beautiful scenery. Recent modern buildings have used Inuyarai in a decorative manner, bringing a Japanese taste.



## Inuyarai (Aotake)

品番YT 025		Bamboo Width /mm	U/P(m)
01	Indoor	Brass Nails 24	€ 800
02		Brass Nails 30	€ 675
03		Kaiore Nails 24	€ 892
04		Kaiore Nails 30	€ 1,050
05	Outdoor	Brass Nails 24	€ 917
06		Brass Nails 30	€ 800
07		Kaiore Nails 24	€ 1,167
08		Kaiore Nails 30	€ 1,009

Different and special sizes available.  
Kaiore Nails=Japanese traditional handmade nails.



## Inuyarai (Shiratake)


品番YT 026		Bamboo Width /mm	U/P(m)
01	Indoor	Brass Nails 24	€ 800
02		Brass Nails 30	€ 675
03		Kaiore Nails 24	€ 892
04		Kaiore Nails 30	€ 1,050
05	Outdoor	Brass Nails 24	€ 917
06		Brass Nails 30	€ 800
07		Kaiore Nails 24	€ 1,167
08		Kaiore Nails 30	€ 1,009

Different and special sizes available.  
Kaiore Nails=Japanese traditional handmade nails.



## Adjusting Device

品番YT 027	U/P(€)
01	24



\* When ordering, please tell us the width, depth and height measurements.

\* Prices will be made from the total length of width and depth of bamboo coverage. (A+C+C).

When one side is not shown, total length can be A+C.

\* The standard Inuyarai size is within 910mm of length and 300mm of depth.



# 竹垣

## "Takegaki" Bamboo Fences

We will introduce "Takegaki," large bamboo fences, made with traditional construction techniques that have been passed down from hundreds of years ago in Kyoto. Please enjoy the changes in color as the seasons go by.

■ Aotake Edaho YT-032 p.112



Sarashi Kenninji Bamboo

品番YT		Height/mm	U/P(m)
028			
01	One side pasted	1,650~1,800	690
02	One side pasted	1,200~1,400	620
03	One side pasted	900	420
04	Both sides pasted	1,650~1,800	870
05	Both sides pasted	1,200~1,400	780
06	Both sides pasted	900	520

Different and special sizes available.



Sarashi Misugaki Bamboo

品番YT		Height/mm	U/P(m)
029			
01	One side pasted	1,650	920
02	One side pasted	1,200	840
03	One side pasted	900	550
04	Both sides pasted	1,650	1,000
05	Both sides pasted	1,200	910
06	Both sides pasted	900	590

Different and special sizes available.



Takeedaho Bamboo Branch

品番YT		Height/mm	U/P(m)
030			
01	One side pasted	1,650	920
02	One side pasted	1,200	830
03	One side pasted	900	740
04	Both sides pasted	1,650	1,150
05	Both sides pasted	1,200	1,050
06	Both sides pasted	900	920

Different and special sizes available.





### Hagiedaho Bush Clover

品番YT 031		Height/mm	U/P(m)
01	One side pasted	1,650	1,170
02	One side pasted	1,200	1,050
03	One side pasted	900	920
04	Both sides pasted	1,650	1,400
05	Both sides pasted	1,200	1,250
06	Both sides pasted	900	1,090


Different and special sizes available.

### Aotake Edaho Bamboo Branch

品番YT 032		Height/mm	U/P(m)
01	One side pasted	1,650	1,250
02	One side pasted	1,200	1,130
03	One side pasted	900	1,030
04	Both sides pasted	1,650	1,500
05	Both sides pasted	1,200	1,360
06	Both sides pasted	900	1,210

Different and special sizes available.

### Bamboo Fence Size



Please choose from the following three pillars.

#### Burnt Log



#### Sabi Log





#### Square Pillar




Pillars are prefabricated.


#### Joint




#### Corner Pillar



#### Inside pillar



#### Outside Pillar



- \* The width of the bamboo fence will be from 1500mm to 2000mm.
- \* When joining the pillars, screw them together to avoid separation.
- \* If bamboo fences make a turn, a corner pillar will be necessary.



## Bamboo Fence Site Fabrication

Site fabrication and quotation are available. Please contact us.


















# 枝折戸・井戸蓋 笥・鹿威し

## Screen Doors / Cover of Wells / Water Pipes


■ Aotake Shiorido YU-004 p.118



**Sarashi Shiorido**  
Screen Door (Bamboo)

品番YU	Height×Width/mm	U/P(€)
001		
01	1,060×606	120
02	1,060×697	120
03	1,060×758	130
04	1,060×910	150


Different and special sizes available.



**Sarashi Yoshi Shiorido**  
Screen Door (Bamboo + Reed)

品番YU	Height×Width/mm	U/P(€)
002		
01	1,060×606	160
02	1,060×697	170
03	1,060×758	170
04	1,060×910	200

Different and special sizes available.



**Sarashi Hagi Shiorido**  
Screen Door (Bamboo + Bush Clover)

品番YU	Height×Width/mm	U/P(€)
003		
01	1,060×606	170
02	1,060×697	170
03	1,060×758	180
04	1,060×910	200

Different and special sizes available.






**Sarashi Ootsugaki Shiorido**  
Screen Door (Bamboo)

品番YU	Height×Width/mm	U/P(€)
063		
01	1,060×606	250
02	1,060×697	250
03	1,060×758	280
04	1,060×910	300

Different and special sizes available.



**Aotake Shiorido** Screen Door (Bamboo)

品番YU	Height×Width/mm	U/P(€)
004		
01	1,060×606	240
02	1,060×697	240
03	1,060×758	270
04	1,060×910	290


Different and special sizes available.



**Aotake Yoshi Shiorido**  
Screen Door (Bamboo + Reed)

品番YU	Height×Width/mm	U/P(€)
005		
01	1,060×606	310
02	1,060×697	310
03	1,060×758	340
04	1,060×910	360


Different and special sizes available.



**Aotake Shihouoredo** Screen Door (Bamboo)

品番YU	Height×Width/mm	U/P(€)
006		
01	1,060×606	410
02	1,060×697	410
03	1,060×758	430

Different and special sizes available.



**Aotake Tsukiagedo** Screen Door (Bamboo)

品番YU	Height×Width/mm	U/P(€)
007		
01	1,364×848	660

Different and special sizes available.



**Sarudo** Screen Door (Cedar)

品番YU	Height×Width/mm	U/P(€)
008		
01	1,212×758	1,670

Different and special sizes available.





**Idobuta** Cover of Well (Bamboo)

品番YU 009	Height×Width/mm	U/P(€)
01	910×910	360

Different and special sizes available.



**Aotake Kakehi (Kimakura)**  
Water Pipe (Bamboo + Wood)

品番YU 010	Height×Width/mm	U/P(€)
01	About 1,000×600	100

Different and special sizes available.



**Aotake Kakehi (Takemakura)**  
Water Pipe (Bamboo)

品番YU 011	Height×Width/mm	U/P(€)
01	About 1,000×600	100

nd special sizes available.



**Aotake Shakuhachi**  
Water Pipe (Bamboo)

品番YU 012	Height×Width/mm	U/P(€)
01	About 600×1,000	100

Different and special sizes available.



**Sarashi Kakehi (Takemakura)**  
Water Pipe (Bamboo)

品番YU 013	Height×Width/mm	U/P(€)
01	About 1,000×600	100

Different and special sizes available.



**Sarashi Kakehi (Kimakura)**  
Water Pipe (Bamboo + Wood)

品番YU 014	Height×Width/mm	U/P(€)
01	Regular About 1,000×600	50
02	Special About 1,000×900	65

Different and special sizes available.



**Sarashi Kakehi (Maruta)**  
Water Pipe (Bamboo + Wood)

品番YU 015	Height×Width/mm	U/P(€)
01	About 1,000×600	50

Different and special sizes available.





### Shishi Odoshi (Large)

Water Pipe (Bamboo + Wood)

品番YU	Height×Width/mm	U/P(€)
016		
01	About 315×770	130



### Shishi Odoshi (Small)

Water Pipe (Bamboo + Wood)

品番YU	Height×Width/mm	U/P(€)
017		
01	About 200×600	100



### Shishi Odoshi (Torii)

Water Pipe (Bamboo + Wood)

品番YU	Height×Width/mm	U/P(€)
018		
01	About 640×800~900	100



### Suisha Water Wheel (Wood)

品番YU	Diameter/mm	U/P(€)
064		
01	φ303	570
02	φ515	840
03	φ758	1,920
04	φ909	2,500



### Aotake Kekkai Low Fence (Bamboo)

品番YU	Height×Width/mm	U/P(€)
065		
01	About 200×1,000	170

Different and special sizes available.



### Kikko Kekkai Low Fence (Bamboo)

品番YU	Height×Width/mm	U/P(€)
088		
01	About 200×1,000	420

Different and special sizes available.

■ Aotake Kakehi (Takemakura) Special order product.



### Aotake Kurumadome

Low Fence (Bamboo)

品番YU	Height×Width/mm	U/P(€)
066		
01	About 600×900	420

Different and special sizes available.



## Screens / Object Coverage

衝立  
室外機  
隠し

■ Special order product

Please contact us.



■ Object Coverage (Special order product)

Please contact us.

**Shiraho Yotsume Tsuitate**  
Screen (Bamboo + Wood)

品番YU	Height×Width/mm	U/P(€)
019		
01	1,000×800	550
02	1,000×1,000	590

Different and special sizes available.

**Kurotake Tsuitate** Screen (Bamboo + Wood)

品番YU	Height×Width/mm	U/P(€)
020		
01	1,000×800	470
02	1,000×1,000	500

Different and special sizes available.

**Shiraho Tsuitate** Screen (Bamboo + Wood)

品番YU	Height×Width/mm	U/P(€)
021		
01	1,200×900	550
02	1,200×1,000	590

Different and special sizes available.

**Hagi Tsuitate** Screen (Bush Clover + Wood)

品番YU	Height×Width/mm	U/P(€)
022		
01	1,200×900	670
02	1,200×1,000	700

Different and special sizes available.

**Ootsugaki Tsuitate** Screen (Bamboo + Wood)

品番YU	Height×Width/mm	U/P(€)
089		
01	1,000×900	520
02	1,000×1,000	540

Different and special sizes available.

**Shitsugaiki Kakushi**  
Object Coverage (Bamboo)

品番YU	Height×Width×Depth /mm	U/P(€)
024		
01	570×710×260	840


Different and special sizes available.



# 縁台 椅子 傘立

## Benches Stools Umbrella Stands

■ Yataaraami Endai (Special order product)  
YU-090 p.123



**Sarashi Endai** Bench (Bamboo)

品番YU	Width×Depth×Height /mm	U/P(€)
025		
01	About 1,365×364×440	880
02	About 1,000×364×440	780



**Zumen Kurotake Endai** Bench (Bamboo)

品番YU	Width×Depth×Height /mm	U/P(€)
026		
01	About 1,365×364×425	500
02	About 1,000×364×425	460



**Zumen Endai** Bench (Bamboo)

品番YU	Width×Depth×Height /mm	U/P(€)
027		
01	About 1,365×364×425	470
02	About 1,000×364×425	430



**Hinoki Endai** Bench (Wood)

品番YU	Width×Depth×Height /mm	U/P(€)
029		
01	About 1,210×410×410	650



**Maruta Yakitake Endai**  
Bench (Bamboo + Wood)

品番YU	Width×Depth×Height /mm	U/P(€)
067		
01	900×400×420	340
02	1,480×400×420	450



**Sabi Endai** Bench (Bamboo)

品番YU	Width×Depth×Height /mm	U/P(€)
068		
01	830×400×440	590



**Marutake Endai** Bench (Bamboo)

品番YU	Width×Depth×Height /mm	U/P(€)
087		
01	1,220×400×350	280

**Sarashi Koshikake** Stool (Bamboo)

品番YU	Width×Depth×Height /mm	U/P(€)
031		
01	About 364×303×440	340

**Kurotake Koshikake** Stool (Bamboo)

品番YU	Width×Depth×Height /mm	U/P(€)
070		
01	350×350×410	340

**Yataraami Koshikake** Stool (Bamboo)

品番YU	Height×Width/mm	U/P(€)
071		
01	440×φ440	920



YU-031-01

**Sarashi Taiko** Stool (Bamboo)

品番YU	Height×Width/mm	U/P(€)
032		
01	455×303	230



YU-032-01

**Sarashi Tsutsumi** Stool (Bamboo)

品番YU	Height×Width/mm	U/P(€)
033		
01	455×303	230

**Yataraami Endai** Bench (Bamboo)

品番YU	Width×Depth×Height /mm	Unit	U/P(€)
090			
01	1,350×450×450	1	5,590

Different and special sizes available.







**Kurotake Kasatate (Maru)**  
Umbrella Stand (Bamboo)

品番YU 034	Height×Width/mm	U/P(€)
01	606×242	320



**Kurotake Kasatate (Ougi)**  
Umbrella Stand (Bamboo)

品番YU 035	Height×Width/mm	U/P(€)
01	606×242	320



**Kurotake Kasatate (Hanmaru)**  
Umbrella Stand (Bamboo)

品番YU 036	Height×Width/mm	U/P(€)
01	606×242	320



**Shinatake Kasatate (Maru)**  
Umbrella Stand (Bamboo)

品番YU 069	Height×Width/mm	U/P(€)
01	606×φ280	670



**Shinatake Kasatate (Shikaku)**  
Umbrella Stand (Bamboo)

品番YU 091	Height×Width×Depth /mm	U/P(€)
01	600×400×200	940

Different and special sizes available.



■ Sarashi Endai YU-025 p.122



# 庭園材料

## Garden Materials



■Sabi Kenninji YU-046 p.125

**Sugikawa** Cedar Skin

品番YU	Height×Width /mm	Unit	U/P(€)
040			
01	1,900×242	9.9m <sup>2</sup>	560
02	1,900×303~455	9.9m <sup>2</sup>	720

**Sabikawa** Cedar Skin

品番YU	Height×Width /mm	Unit	U/P(€)
041			
01	1,900×364~455	6.6m <sup>2</sup>	630

**Sarashi Hishigi** Bamboo

品番YU	Height×Width /mm	Unit	U/P(€)
042			
01	1,970×210~272	6.6m <sup>2</sup>	750

**Sarashi Kenninji (Madake)**  
Bamboo

品番YU	Height×Width /mm	Unit	U/P(€)
043			
01	1,970×45	3.3m <sup>2</sup>	300

**Sarashi Kenninji (Moso)**  
Bamboo

品番YU	Height×Width /mm	Unit	U/P(€)
044			
01	1,800×40	3.3m <sup>2</sup>	240
02	2,000×40	3.6m <sup>2</sup>	280

**Ao Kenninji (Madake)**  
Bamboo

品番YU	Height×Width /mm	Unit	U/P(€)
045			
01	1,820×45	3.3m <sup>2</sup>	300

**Sabi Kenninji** Bamboo

品番YU	Height×Width /mm	Unit	U/P(€)
046			
01	1,970×45	3.3m <sup>2</sup>	240



**Moso Eda** Bamboo Branch

品番YU	size	Unit	U/P(€)
047			
01	—	15kg	170

**Kuroho** Bamboo Branch

品番YU		Unit	U/P(€)
048			
01	Special	15kg	360
02	Regular	15kg	290

**Nagaho** Bamboo Branch

品番YU	size	Unit	U/P(€)
049			
01	—	15kg	390

**Iwahagi** Bush Clover

品番YU	size	Unit	U/P(€)
050			
01	—	—	450

**Hagi** Bush Clover

品番YU	size	Unit	U/P(€)
051			
01	—	15kg	35

**Kuromoji** Black Maple Tree

品番YU	size	Unit	U/P(€)
052			
01	—	15kg	40

**Kuro Somenawa**  
Dyed Rope (Black)

品番YU	size	U/P(€)
053	diameter/mm · Length/m	
01	Small 4 · 20	5
02	Small 6 · 20	7
03	Large 4 · 550	150
04	Large 6 · 400	160

**Cha Somenawa**  
Dyed Rope (Brown)

品番YU	size	U/P(€)
054	diameter/mm · Length/m	
01	Small 4 · 20	5
02	Small 6 · 20	7
03	Large 4 · 550	150
04	Large 6 · 400	160



YU-055-01

YU-055-02

**Fujitsuru** Wisteria Vine

品番YU		U/P(€)
055		
01	Small (About 3.5m)	8
02	Large	200/kg

**Tahu Rope** Nylon Rope

品番YU	size	U/P(€)
072	diameter/mm · Length/m	
01	Small 3 · 15	4
02	Small 4 · 15	6
03	Large 3 · 250	65
04	Large 4 · 340	65

**Waranawa** Straw Rope

品番YU	size	U/P(€)
092	diameter/mm · Length/m	
01	Small 4 · 50	17
02	Large 6 · 100	36
03	Large 7.5 · 130	36
04	Large 9 · 100	36



**Kumade** Bamboo Rake

品番YU	size	U/P(€)
056		
01	—	55

**Tekumade** Hand Bamboo Rake

品番YU	size	U/P(€)
057		
01	—	25



YU-058-01

**Take Houki** Bamboo Broom

品番YU		U/P(€)
058		
01	Special	60
02	Regular	25



YU-059-01

**Tehouki** Hand Bamboo Broom


品番YU		U/P(€)
059		
01	Extra Specal	72
02	Special	55
03	Regular	24

**Take Shaku** Bamboo Ladle

品番YU	size	U/P(€)
060		
01	—	13

**Umegae** Wood Ladle

品番YU	size	U/P(€)
061		
01	—	38

**Aotake Shaku** Bamboo Ladle

品番YU	size	U/P(€)
093		
01	—	25

Different and special sizes available.



YU-062-01

**Tukubai Shaku** Wood Ladle

品番YU		U/P(€)
062		
01	Cypress	60
02	Red Cedar	84

**Sawara Teoke** Wood Bucket

品番YU	Height×Diameter /mm	U/P(€)
073		
01	490×φ215	370
02	510×φ245	470
03	530×φ275	590





Kamogawa (Special order product)



Bamboo Shandelier (Special order product)



Seto YW-093 p.136

室内装飾品シリーズ

# INTERIOR DECORATION SERIES

Jizai Kagi (Hanging Pan Holder)

Lights

Flower Vases / Drinking Sets / Utensils

Bamboo Displays





Takesei Andon YW-034 p.134



Noshi Take YW-049 p.136



Takesei Koushi (Special order product) YW-090 p.134



Aorake YW-065 p.139





■ Rantan YW-037 p.135



■ Sarashitake Tsutsumi Andon (Special order product)



■ Yugao YW-040 p.136



## 自在鍵

## Jizai Kagi (Hanging Pan Holder)



## 1 Jizaikagi Kikko

品番 YW	Size/mm	U/P(€)
001	—	350

Dyed Bamboo

## 2 Jizaikagi Tai Sea Bream

品番 YW	Size/mm	U/P(€)
002	—	600

Dyed Bamboo

## 3 Jizaikagi Koi Carp

品番 YW	Size/mm	U/P(€)
003	—	660

Smoked Bamboo

## 4 Jizaikagi Koi Carp

品番 YW	Size/mm	U/P(€)
004	—	640

Smoked Bamboo




1 Kikko  
W300×φ60~75mm



2 Tai  
W300×H180mm



3 Koi  
W415×H115mm



4 Koi  
W340×H160mm





5 Tai  
W380×H210mm



6



7

## 5 Jizaikagi Tai Sea Bream

品番 YW	Size/mm	U/P(€)
005	—	710

Smoked Bamboo

## 6 Jizaikagi Magatama

品番 YW	Size/mm	U/P(€)
006	—	640

Smoked Bamboo

## 7 Jizaikagi Ssensu

品番 YW	Size/mm	U/P(€)
007	—	620

Smoked Bamboo

## 8 Jizaikagi Hyoutan


品番 YW	Size/mm	U/P(€)
008	—	640

Smoked Bamboo

## 9 Jizaikagi Ottotto

品番 YW	Size/mm	U/P(€)
009	—	860

Smoked Bamboo



8




9

Ottotto  
W350×H110mm



## Base Metal

品番 YW	Size/mm	U/P(€)
010	Small (φ64mm)	480
02	Large (φ100mm)	790





# 照明 Lights

The lights made with Kyoto traditional techniques bring light and warmth to the houses and streets of Kyoto.  
As voltage and outlet differ in every country, orders of only the lamp cover is also available.  
Please prepare a voltage converter when ordering with the lamp.  
Please contact us about prices.

■ Hanatouro YW-026 p.133



## Hanatouro

品番 YW	Height×Diameter /mm	U/P(€)	Remark
026			
01	400×φ165	320	Waterproof equipment

25W bulb used



## Kamogawa

品番 YW	Height×Diameter /mm	U/P(€)	Remark
068			
01	450×φ165	320	Waterproof equipment

25W bulb used



## Gion

品番 YW	Height×Diameter /mm	U/P(€)	Remark
069			
01	450×φ165	320	Waterproof equipment

25W bulb used



## Mekago

品番 YW	Height×Diameter /mm	U/P(€)
027		
01	450×φ150	170
02	480×φ170	180
03	540×φ200	190

40W bulb used



## Kageitsu

品番 YW		Height×Diameter/mm	U/P(€)
070			
01	Natural	500×φ210	190
02	Painted	500×φ210	190

40W bulb used



## Hugetsu

品番 YW	Height×Diameter/mm	U/P(€)
071		
01	510×φ210	150

40W bulb used





### Kingyo

品番 YW	Height×Diameter/mm	U/P(€)
087		
01	510×φ210	250

40W bulb used



### Byakko

品番 YW	Height×Diameter/mm	U/P(€)
088		
01	440×φ200	350

7W LED bulb used



### Yoka

品番 YW	Height×Diameter/mm	U/P(€)
072		
01	440×φ200	300

7W LED bulb used



### Tsuki Shizuku

品番 YW	Height×Diameter/mm	U/P(€)
073		
01	1,000×φ220	850
02	1,150×φ240	1,310
03	1,300×φ270	1,650

7W LED bulb used



### Takesei Koushi

品番 YW	Height×Diameter/mm	U/P(€)
090		
01	600×φ220	300

60W bulb used Dimmer attached



### Takesei Andon

品番 YW	Height×Diameter/mm	U/P(€)
034		
01	1000×φ300	520

100W bulb used





### Mayumaro

品番YW	Height×Diameter/mm	U/P(€)
091		
01	370×φ180	250

7W LED bulb used



### Takehigo

品番YW	Height×Diameter/mm	U/P(€)
075		
01	215×φ92	170

15W bulb used



### Daimonji

品番YW	Height×Diameter /mm	U/P(€)	Remark
077			
01	230×φ430	550	For 10m <sup>2</sup> space

16W LED bulb + 5W bulb used



### Kanko

品番YW	Height×Width×Depth /mm	U/P(€)
078		
01	170×140×90	280
02	320×150×100	360
03	930×160×110	550

※5W (01)・10W (02)・15W (03) bulb used



### Kogetsu

品番YW	Height×Diameter /mm	U/P(€)	Remark
089			
01	300×φ550	940	For 10m <sup>2</sup> space
02	300×φ550	1,030	For 13m <sup>2</sup> space

16W LED bulb + 5W bulb used

### Rantan

品番YW	Height×Width×Depth /mm	U/P(€)
037		
01	270×270×290	420

20W bulb used






# 花器 酒器 食器

## Flower Vases / Drinking Sets / Utensils

■ Hyotan YW-096 p.137



**Yugao** Bamboo Basket

品番YW	Size/mm	U/P(€)
040		
01	200×510×φ180	1,090



**Basho Ami** Bamboo Basket

品番YW	Size/mm	U/P(€)
042		
01	110×φ210	690



**Uzukumaru**  
Hanging Bamboo Basket

品番YW	Size/mm	U/P(€)
043		
01	130×φ110	86



**1 Yotsume Kakekago**  
Hanging Bamboo Basket

品番YW	Size/mm	U/P(€)
046		
01	220×φ60	300

**2 Suihatsu**  
Bamboo Basket Holder

品番YW	Size/mm	U/P(€)
047		
01	90×1,370	180

Flower Vase not included.

**3 Suihatsu**  
Bamboo Basket Holder

品番YW	Size/mm	U/P(€)
048		
01	75×1,250	140

Flower Vase not included.



**Noshi Take**  
Hanging Bamboo Basket

品番YW	Size/mm	U/P(€)
049		
01	75×45×355	160
02	55×55×180	140



**Sennari** Bamboo Basket

品番YW	Size/mm	U/P(€)
092		
01	370×φ140	170



**Seto** Bamboo Basket

品番YW	Size/mm	U/P(€)
093		
01	320×250×340	340



**Sukashi** Bamboo Basket

品番YW	Size/mm	U/P(€)
094		
01	150×130×390	200



**Hechima** Bamboo Basket

品番YW	Size/mm	U/P(€)
095		
01	330×φ130	200



**Hyotan** Hanging Bamboo Basket

品番 YW	Size/mm	U/P(€)
096		
01	145×φ90	160

**Noshi Hanaike** Bamboo Vase

品番 YW	Size/mm	U/P(€)
097		
01	70×80×125	92

**Zundo** Bamboo Vase

品番 YW	Size/mm	U/P(€)
052		
01	300×110~φ140	25

**Aotake Kaki** Bamboo Vase

品番 YW	Size/mm	U/P(€)
053		
01	500×110~φ140	84

**Warai Tokuri**  
Bamboo Bottle & Cup

品番 YW	Size/mm	U/P(€)
055		
01	300×80~φ90	50
02	70×φ40	10

**1 Fujitsuru Tokuri**  
Bamboo Bottle & Cup

品番 YW	Size/mm	U/P(€)
056		
01	250~300×80~φ90	70

**2 Tsubame Tokuri**  
Bamboo Bottle & Cup

品番 YW	Size/mm	U/P(€)
057		
01	250×300×80~φ90	62
02	40×φ40	10

**Take Borupen**  
Bamboo Pen

品番 YW	Length×Diameter /mm	U/P(€)
080		
01	160×φ330	42

**Shin Takezen**  
Bamboo Chopsticks

品番 YW	Length×Width×Height /mm	U/P(€)
082		
01	210×22×13	67
02	240×22×13	67

**Kaguyahime**  
Bamboo Chopsticks

品番 YW	Length×Diameter /mm	U/P(€)
083		
01	205×φ19	67

**Migaki Honsusutake Hashi**  
Bamboo Chopsticks

品番 YW	Size/mm	U/P(€)
098		
01	220	120





Bamboo Displays

# ディスプレイ用装飾竹

As bamboo leaves die fast, we have used artificial leaves while using real bamboo stems.


■ Aotake YW-064 p.138



Kurochiku				
品番YW 063	Length /mm	Number of Stem	U/P(€)	Remark
01	1,500	3	447	Artificial Leaves used
02	1,800	3	530	
03	1,500	5	489	
04	1,800	5	572	
05	1,000	7	405	
06	1,500	7	517	
07	1,800	7	615	

Aotake				
品番YW 064	Length /mm	Number of Stem	U/P(€)	Remark
01	1,500	3	503	Artificial Leaves used
02	1,800	3	586	
03	1,500	5	530	
04	1,800	5	615	
05	1,500	7	600	
06	1,800	7	712	






Aotake (Large)					
品番YW	Length /mm	Diameter /mm	Number of Leaves	U/P(€)	Remark
065					
01	2,000	27~33	4	175	Artificial Leaves used
02	3,000	27~33	5	242	
03	4,000	33~36	8	342	
04	3,000	45~51	5	350	
05	4,000	45~51	10	484	
06	3,000	75~81	5	459	
07	4,000	75~81	10	592	

Split cut, Polyurethane filled, Rattan rolled available.

Kurotake (Large)					
品番YW	Length /mm	Diameter /mm	Number of Leaves	U/P(€)	Remark
066					
01	2,000	27~33	4	167	Artificial Leaves used
02	3,000	27~33	5	234	
03	4,000	33~36	7	334	

Split cut, Polyurethane filled, Rattan rolled available.



Artificial Leaves			
品番YW	Length /mm	U/P(€)	Remark
067			
01	400	10	Leaf
02	800	22	Green
03	800	22	Wither
04	1,200	56	Branch



■ Aotake (Large) YW-065 p.139





現場施工・竹材加工

# SITE FABRICATION / BAMBOO PROCESSING

Site Fabrication / Bamboo Processing

Bamboo Hoop

Bamboo Fan Stand

Kaya Buki

Kokera Buki

Sugikawa Buki

Doban Buki





Masayari YB-012 p.27



Kayabuki p.145



Somesusu YC-006 p.26



# 竹材加工・現場施工

## Site Fabrication / Bamboo Processing


■ Sarashi Partition YA-001 p.14



■ Somesusutake Ceilling YA-023 p.19




■ Somesusutake Teppogaki YA-023 p.19



■ Somekuro Shinobigaeshi  
YC-007 p.26

At Yokotake, we not only construct Kyoto style buildings such as Japanese traditional houses and tea ceremony rooms, but also construct modern buildings through the hands of professional craftsmen.



■ Srashitake Pasted Bamboo Wisteria Trellis YA-001 p.14








# たが 箍 (桶輪)

## Taga (Bamboo Hoop)

Taga is mostly used for barrels and wooden buckets. Recently, it is also used as interior design.



# うちわ立て

## Uchiwatate (Bamboo Fan Stand)

Bamboo fan stand is available from Maiko fans to original fans. Please tell us the length, thickness of the bamboo and also the hole size of where the fan will be inserted.





# 屋根

## Japanese Old Traditional Roofs

### Kayabuki

#### Features and Structures

Kayabuki is a roof made from reed. The roof has adiabaticity, which brings warmth in the winter and coolness in the summer. Moreover, reeds are long lasting and its finished form is beautiful.



Kaya (Thatch)

品番YX 001	Size	U/P(€)
01	About 900mm	60

For Inside



Wara (Straw)

品番YX 004	Size	U/P(€)
01	About 900mm	70

For Inside



Yane Yoshi (Reed)

品番YX 005	Size	U/P(€)
01	About 1,300~1,800mm	170

For outside



## Kokerabuki

### Features and Structures

Kokerabuki is a roof made from split cedar. As every cedar is split by hand, it does not damage the fiber and makes possible for rainwater to stream along it.



Kokera (Cedar)

品番 YX	Size/mm	Unit	U/P(€)
006			
01	300×60~100	54m	2,670
02	240×60~100	54m	2,170



Kokera Nails (Bamboo)

品番 YX	Size/mm	Unit	U/P(€)
007			
01	About 30	1kg	340
02	About 36	1kg	400
03	About 45	1kg	500

※1kg=About 5m<sup>2</sup>

## Sugikawabuki

### Features and Structures

Sugikawabuki is a roof for gates made from cedar skin.

We have used cedar skin peeled in the autumn, because insects easily attach to cedar skin in the spring.

It is mostly used for garden gates and Japanese traditional houses.





# Dobanbuki

## Features and Structures

Dobanbuki is a roof made from bronze. Recently, titanium and other metal materials are used.

We will carefully make each plate adjusting to the roof's surface.

It is mostly used for Japanese traditional gardens and tea ceremony houses.






# 施工例

## Construction Example



■ Bamboo 「Sarashitake」 YA-001 p.14



■ Bamboo 「Kurotake」 YA-010 p.16



■ Bamboo 「Honsusutake」 YA-022 p.18



■ Bamboo 「Koshokutake」 YA-025 p.19



■ Yokotake Board 「Somesusu (Flat Cut)」 YH-005・006 p.41



■ Yokotake Board 「Shinsabi (Half Cut)」 YH-061 p.47





■ Yokotake Board 「Somesusu (Half Cut)」 YH-043 p.46



■ Yokotake Board 「Yajirobe」 YH-082 p.50




■ Yokotake Board 「Tenshin (Nylon)」 YH-077 p.50



■ Yokotake Board 「Sawara Oyakoyabane (Cypress)」 YH-129 p.57




■ Luminous Ceiling 「Mutsume」 YI-009 p.61



■ Luminous Ceiling 「Koshoku Yatara」 YI-021 p.63





■ Bamboo Window 「Shitajimarumado (Bamboo)」 YK-016 p.67



■ Bamboo Window 「Marumado」 YK-109 p.78



■ Sodegaki 「Hagi Taimatsu」 YK-022 p.109



■ Jizaikagi Magatama YW-006 p.132



■ Sodegaki 「Inuyarai (Shiratake)」 YT-026 p.110





■ Yokotake Board 「Somesusu (Flat Cut)」 YH-022 p.42



■ Yokotake Board 「Gamashin」 YH-091 p.52



■ Luminous Ceiling 「Sarashi Yatara」 YI-017 p.63



■ Masawari 「Masawari (Smoothened on one side)」 YB-011 p.27



■ Yokotake Board 「Sugi Ichimatu (Cedar)」 YH-117 p.56



■ Yokotake Board 「Sometake Yabane (Bamboo)」 YH-108 p.55